

AD2 AERODROMES**DAUU AD 2.1 Aerodrome location indicator and name**

DAUU – OUARGLA/Ain Beida

DAUU AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	31 55 06.80 N 005 24 32.25 E centre of runway 01/19.
2	Direction and distance from (city)	Located of 4.3 NM South-East from the city of Ouargla.
3	Elevation/Reference Temperature	152 M /46° C
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR / Annual change	2° E(2020) / 6'E
6	AD Administration, address, telephone, telefax, Telex, AFS	OUARGLA AIRPORT Aéroport de Ouargla- BP 11 /OUARGLA Tel: +213 29774906 TWR: +213 29774905 ABO: +213 29774904 Telefax: +213 29774908 AFS: DAUUYDYD
7	Type of traffic	IFR/VFR
8	Remarks	Civil military aerodrome.

DAUU AD 2.3 OPERATIONAL HOURS

1	AD administration	0700/1500 (SUN/THU)
2	Customs and immigration	On request.
3	Health and sanitation	In City
4	AIS briefing office	H24
5	ATS reporting office (ARO)	H24
6	MET briefing office	H24
7	ATS	H24
8	Fueling	Available for regular flights.
9	Handling	According to flights.
10	Security	H24
11	De-icing	NIL
12	Remarks	NIL

DAUU AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo handling facilities	Available for regular flights.
2	Fuel and oil types	JET A1.
3	Fueling facilities and capacity	Storage 500m3 / P1: 60M3 / H -P2: 80m3 / H - Two trucks refuellers.
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

DAUU AD 2.5 PASSENGER FACILITIES

1	<i>Hotels</i>	In city.
2	<i>Restaurants</i>	In city.
3	<i>Transportation facilities</i>	Taxi – bus.
4	<i>Medical facilities</i>	In city.
5	<i>Bank and Post Office</i>	In city.
6	<i>Tourist office</i>	NIL
7	<i>Remarks</i>	NIL

DAUU AD 2.6 RESCUE AND FIREFIGHTING SERVICES

1	<i>AD category for firefighting</i>	CAT 7.
2	<i>Rescue equipment</i>	Yes, CAT 7.
3	<i>Capability for removal of disabled aircraft</i>	Available.
4	<i>Remarks</i>	NIL

DAUU AD 2.7 SEASONAL AVAILABILITY, CLEARING

1	<i>Type of clearing equipment</i>	NIL
2	<i>Clearance priorities</i>	NIL
3	<i>Remarks</i>	NIL

DAUU AD 2.8 APRONS, TWY AND CHECK LOCATIONS

1	<i>Apron surface and strength</i>	Civil APRON Surface : Bituminous concrete PCR : 470 F/B/W/T	Military APRON (flexible part) Surface : Bituminous concrete PCR : 470 F/B/W/T
2	<i>Taxiway width, surface, and strength</i>	A A1, A2, A3,A4, A5,B,B1,B2,B3,B4, C,D A6,A7 E	25 M Bituminous concrete PCR :630 /F/B/W/T PCR :500 /F/B/W/T PCR :450 /F/B/W/T PCR :500 /F/B/W/T
3	<i>Altimeter checkpoint location and elevation</i>	Holding point. 151 M	
4	<i>VOR checkpoints</i>	NIL	
5	<i>INS checkpoints</i>	NIL	
6	<i>Remarks</i>	NIL	

DAUU AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	<i>Use of aircraft stand ID signs, TWY guidelines and visual docking / parking guidance system of aircraft stands</i>	ID signs: NIL TWY guidelines: YES Parking guidance system : NIL
2	<i>RWY and TWY markings and LGT</i>	RWY RWY edge lights THR marking, RWY centre line marking, RWY edge marking, RWY designation marking. TWY TWY edge lights. TWY centre line marking.
3	<i>Stop bars</i>	NIL
4	<i>Remarks</i>	NIL

DAUU AD 2.10 AERODROME OBSTACLES

<i>Approach and take-off areas</i>					
<i>OBST ID / Designation</i>	<i>OBST type</i>	<i>OBST position</i>	<i>ELEV/HGT</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
a	b	c	d	e	f
DAUUOB001	Antenna		NIL ALT 167 M	NIL	
DAUUOB002	Antenna	315657.11N0052509.56E	172.48M/23M	NIL	
DAUUOB003	VOR Antenna	315630N 0052500E	ALT 160 M	NIL	
<i>Circling area and at aerodrome</i>					
<i>OBST ID / Designation</i>	<i>OBST type</i>	<i>OBST position</i>	<i>ELEV/HGT</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
a	b	c	d	e	f
NIL	NIL	NIL	NIL	NIL	NIL

DAUU AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET office	METEO regional station of Dar El Beida / Algiers.
2	Hours of service: MET office outside hours:	H 24 METEO regional station of Dar El Beida / Algiers.
3	Office responsible for TAF preparation and Periods of validity /:	METEO regional station of Dar El Beida / Algiers. 0900/1200
4	Trend Forecast and Interval of issuance	Observations locales - 60 minutes.
5	Briefing /consultation provided	TWR
6	Flight documentation and Language(s) used	Fr, En
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing Information on meteorological conditions	NIL
9	ATS units provided with meteorological information	TWR
10	Remarks	NIL

DAUU AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCR) And surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and Highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
01	016°	3000 X 45	THR 01-300M : PCR:690 R/B/W/T	315420.43N0052416.57E	151/NIL
19	196°	3000 X 45	300M-THR 19: PCR :690 F/B/W/T Bituminous concrete	315552.82N0052447.81E	141/NIL
18	179°	3000 X 45	THR 18-300M : PCR :510 R/B/W/T	315545.10N0052500.68E	141/NIL
36	359°	3000 X 45	300-2700M : PCR :700 F/B/W/T 2700M-THR36 : PCR :510 R/B/W/T Bituminous concrete	315407.60N0052459.91E	152/NIL
Slope of RWY-SWY	SWY Dimensions (M)	CWY Dimensions (M)	Strips Dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
+1%	100	NIL	NIL	NIL	NIL
-1%	100	NIL	NIL	NIL	NIL
NIL	100	NIL	NIL	NIL	NIL
NIL	100	NIL	NIL	NIL	THR 36- first 300 meters in slabs.

DAUU AD 2.13 DECLARED DISTANCES

<i>RWY designator</i>	<i>TORA (m)</i>	<i>TODA (m)</i>	<i>ASDA (m)</i>	<i>LDA (m)</i>	<i>Remarks</i>
1	2	3	4	5	6
01	3000	3000	3100	3000	NIL
19	3000	3000	3100	3000	NIL
18	3000	3000	3100	3000	NIL
36	3000	3000	3100	3000	NIL

DAUU AD 2.14 APPROACH AND RUNWAY LIGHTING

<i>RWY Designator</i>	<i>APCH LGT Type LEN INTST</i>	<i>THR LGT Color WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ, LGT LEN</i>	<i>RWY Center Line LGT Length, spacing, color, INTST</i>	<i>RWY edge LGT LEN, spacing, color, INTST</i>	<i>RWY end LGT color, WBAR</i>	<i>SWY LGT LEN (M), Color</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
01	SIAL 420M LIH	Green	Nil	Nil	Nil	3000M, 30M, White, LIH	Red	Nil	Nil
19	Nil	Green	Nil	Nil	Nil	3000M, 30M, White, LIH	Red	Nil	Nil
18	Nil	Green	PAPI 3,06°	Nil	Nil	3000M, 30M, White, LIH	Red	WHITE	Nil
36	Cat I 900M	Green	PAPI 3°	Nil	Nil	3000M, 30M, White, LIH	Red	WHITE	Nil

DAUU AD 2.15 OTHER LIGHTING AND SECONDARY POWER SUPPLY

1	<i>ABN/IBN location, characteristics, and hours of operation</i>	31 56 00 N 005 25 00 E. Alternating green and white on request / ABN (1é / 3Sec).
2	<i>LDI location and lighting</i> <i>Anemometer location and lighting</i>	LDI lighted-WDI.
3	<i>TWY Edge and centre line lighting.</i>	Blue
4	<i>Secondary power supply / switch-over time.</i>	Two (02) power generators 400 KVA / 10 Seconds.
5	<i>Remarks</i>	NIL

DAUU AD 2.16 HELICOPTER LANDING AERA

1	<i>Coordinates TLOF or THR of FATO Geoid undulation</i>	NIL
2	<i>TLOF and/or FATO elevation (M/FT)</i>	NIL
3	<i>TLOF and FATO area dimensions, surface, strength, marking</i>	NIL
4	<i>True bearings of FATO</i>	NIL
5	<i>Declared distance available</i>	NIL
6	<i>APP and FATO lighting</i>	NIL
7	<i>Remarks</i>	NIL

DAUU AD 2.17 ATS AIRSPACE

1	<i>Designation and lateral limits</i>	NIL
2	<i>Vertical limits</i>	NIL
3	<i>Airspace classification</i>	NIL
4	<i>ATS unit call sign and language(s)</i>	NIL
5	<i>Transition altitude</i>	1050 M
6	<i>Remarks</i>	NIL

DAUU AD 2.18 ATS COMMUNICATION FACILITIES

<i>Service designation</i>	<i>Call sign</i>	<i>Channel</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
TWR	OUARGLA TOWER	118.7Mhz 119.7 Mhz(a)	H 24	NIL

DAUU AD 2.19 RADIO NAVIGATION AND LANDING AIDS

<i>Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/MLS, give declination)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Position of transmitting antenna coordinates</i>	<i>Elevation of DME Transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
VOR / DME 2°E (2020) 6'	OUR	112.7 Mhz CANAL 74X	H 24	315630N 0052500 E	NIL	NIL
LLZ36/ILS CAT II 2°E (2020) 6'	OG	108.9 Mhz	H 24	315554.60N 0052500.80E	ALT:148.5M HGT:6M	QDR 357°/300M from THR18
GP36	NIL	329.3 Mhz	H 24	315418.55N 0052504.21E	ALT:167.5M HGT:15M	300M from THR36 and 120M to the right of the RWY36 axis 3° slope
DME	OG	CANAL 26X	H 24	315418.55N 0052504.21E	ALT:167.5M HGT:15M	Co-located with the GP36.

DAUU AD 2.20 LOCAL AERODROME REGULATIONS:

Maneuvering turns only on turn pads of RWY 18/36

DAUU AD 2.21 NOISE ABATEMENT PROCEDURES: NIL

DAUU AD 2.22 FLIGHTS PROCEDURES: NIL

DAUU AD 2.23 ADDITIONAL INFORMATION

- Aerodrome located in prohibited area DA-P60.

DAUU AD 2.24 CHARTS RELATED TO AN AERODROME:

AD- ICAO	AD 2 DAUU-AD
AOC - ICAO RWY 20	AD 2 DAUU-AOC1
AOC - ICAO RWY 02	AD 2 DAUU-AOC2
IAC - ICAO VOR RWY 18 CAT C/D	AD2 DAUU-IAC1
IAC - ICAO VOR RWY 18 CAT A/B	AD2 DAUU-IAC2
IAC - ICAO VOR/DME-ILS RWY 36 CAT A/B/C/D	AD2 DAUU-IAC3
IAC - ICAO VOR/DME RWY 36 CAT C/D	AD2 DAUU-IAC4
IAC - ICAO VOR/DME RWY 36 CAT A/B	AD2 DAUU-IAC5
IAC - ICAO VOR RWY 36 CAT C/D	AD2 DAUU-IAC6
IAC - ICAO VOR RWY 36 CAT A/B	AD2 DAUU-IAC7
VAC - ICAO	AD2 DAUU-VAC1