

Designations RWY NR	TRUE BRG	Dimensions of RWY (m)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
27	273.00°	1066 x 25	18/F/A/X/T ASPH	N 49 28 21.041 E 008 31 11.950	THR 306.2 ft

Slope of RWY-SWY	SWY dimensions (m)	CWY dimensions (m)	Strip dimensions (m)	RESA dimensions (m)	Description, location of arresting system	OFZ
7	8	9	10	11	12	13
see AOC	-	-	1186 x 150 Restricted at the end of RWY 27 to the SW in its whole length at least 20 m wide, paved with the same strength as a hard surface RWY	-	-	-
see AOC	-	-	1186 x 150 Restricted at the end of RWY 27 to the SW in its whole length at least 20 m wide, paved with the same strength as a hard surface RWY	-	-	-

Remarks	
14	
09	Surface of RWY: cross grooves
27	Surface of RWY: cross grooves

EDFM AD 2.13 Declared distances

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)
1	2	3	4	5
09	1013	1066	1066	1060
27	1060	1066	1066	1013

Remarks	
6	
09	TORA, TODA and ASDA are each increased by 60 m if the paved strip in front of the RWY is also used.
27	TORA, TODA and ASDA are each increased by 60 m if the paved strip in front of the RWY is also used.

EDFM AD 2.14 Approach and runway lighting

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ LGT LEN	RWY centre line LGT LEN, spacing colour, INTST	RWY edge LGT LEN Spacing, colour INTST	RWY end LGT colour WBAR	SWY LGT LEN (M) colour
1	2	3	4	5	6	7	8	9
09	-	G LIH	4.0° 47.00 ft	-	-	W LIH	R LIH	-