

| RWY Designator | TORA (m)     | TODA (m)     | ASDA (m)     | LDA (m)     |
|----------------|--------------|--------------|--------------|-------------|
| 1              | 2            | 3            | 4            | 5           |
| 31<br>TWY C    | 1620<br>1030 | 1688<br>1030 | 1620<br>1030 | 1620<br>NIL |

| Remarks |     |
|---------|-----|
| 6       |     |
| 13      | Nil |
| 31      | Nil |

**EDGS AD 2.14 Approach and runway lighting**

| RWY Designator | APCH LGT type LEN INTST                  | THR LGT colour WBAR | VASIS (MEHT) PAPI | TDZ LGT LEN | RWY centre line LGT LEN, spacing colour, INTST | RWY edge LGT colour INTST | RWY end LGT colour WBAR | SWY LGT LEN (M) colour |
|----------------|--|---------------------|-------------------|-------------|--|---------------------------|-------------------------|------------------------|
| 1              | 2  | 3                   | 4                 | 5           | 6  | 7                         | 8                       | 9                      |
| 13             | SALS<br>LIH                              | G<br>LIH            | 3.0°<br>42.00 ft  | -           | W<br>LIH                                       | W<br>LIH                  | R<br>LIH                | -                      |
| 31             | ALSAF<br>LIH<br>Sequence flash available | G<br>LIH            | 3.0°<br>43.00 ft  | -           | W<br>LIH                                       | W<br>LIH                  | R<br>LIH                | -                      |

| Remarks |                           |
|---------|---------------------------|
| 10      |                           |
| 13      | Flashes THR 13 available. |
| 31      | Flashes THR 31 available. |

**EDGS AD 2.15 Other lighting, secondary power supply**

|   |  |                                   |
|---|--|-----------------------------------|
| 1 | ABN/IBN location, characteristics and hours of operation | ABN white/white on TWR            |
| 2 | LDI location and LGT<br>Anemometer location and LGT      | See Chart AD 2 EDGS 2-5           |
| 3 | TWY edge and centre line LGT                             | TWY edge lights of TWYs:<br>B LIH |
| 4 | Secondary power supply including switch-over time        | Available / 10 SEC                |
| 5 | Remarks  | Nil                               |

**EDGS AD 2.16 Helicopter landing area**

|   |   |   |
|---|---|---|
| 1 | Coordinates TLOF or THR of FATO<br>Geoid undulation                       | NIL   |
| 2 | TLOF and/or FATO elevation m/ft   | NIL   |
| 3 | TLOF and FATO area dimensions, surface type, bearing strength and marking | NIL   |
| 4 | True BRG of FATO  | NIL   |
| 5 | Declared distance available   | NIL   |
| 6 | APP and FATO lighting   | NIL   |
| 7 | Remarks   | Not specified; as instructed by INFORMATION |