

EDMO AD 2.8 Aprons, taxiways and check locations data

1	Designation, surface and strength of aprons	APRX 10 200 m ² parking area available; ASPH
2	Designation, width, surface and strength of taxiways	TWY E: 23 m; ASPH; PCN 26/F/A/X/T TWY A, B, C, D: 12.5 m; ASPH; PCN 26/F/A/X/T
3	Altimeter checkpoint location and elevation	THR 22: 1890 ft MSL, THR 04: 1947 ft MSL, ARP 1906 ft MSL
4	VOR checkpoints	NIL
5	INS checkpoints	NIL
6	Remarks	Taxi guidance signs on all TWYs (not lighted), lighted taxi stop sign TWY A 22, TWY E 22 and TWY B 04/22

EDMO AD 2.9 Surface movement guidance and control system and markings

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system at aircraft stands	see Chart AD 2 EDMO 2-5
2	RWY and TWY markings and LGT	THRs, RWY centre line, RWY edge stripes. TWY centre line, taxi holding positions, TWY edge stripes partly RWY, TWY lighted
3	Stop bars	-
4	Remarks	Nil

EDMO AD 2.10 Aerodrome obstacles

Refer to AD 2 EDMO 2-11 AERODROME OBSTACLE CHART - ICAO TYPE A RWY 04/22

EDMO AD 2.11 Meteorological information provided

1	Associated MET Office	Meteorological Advisory Center (MAC) München
2	Hours of service MET Office outside hours	H24
3	Office responsible for TAF preparation Periods of validity	MAC München 9 HR
4	Trend forecast Interval of issuance	NIL
5	Briefing/consultation provided	see No. 10 by phone
6	Flight documentation Language(s) used	Charts, abbreviated plain language text ²⁾ English, German
7	Charts and other information available for briefing or consultation	SWC, W/T charts, SIGMET, METAR/TAF en-route ²⁾
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	NIL
10	Additional information (limitation of service, etc.)	Individual weather consultation: Tel.: 0900 50 77 22 5 ¹⁾ ¹⁾ Value-added service prices see GEN 3.5 ²⁾ Provided by: www.flugwetter.de