

EDDF AD 2.17 ATS airspace

1	Designation and lateral limits	CTR Frankfurt
2	Vertical limits	2500 ft MSL
3	Airspace classification	D
4	ATS unit call sign Language(s)	FRANKFURT TOWER English, German
5	Transition altitude	5000 ft MSL
6	Hours of applicability	NIL
7	Remarks	For detailed airspace description see ENR 2.1

EDDF AD 2.18 ATS communication facilities

Service designation	Call sign	Channel/ Frequency (MHZ)	Sat- voice	Logon address	Hours of operation	Remarks
1	2	3	4	5	6	7
		121.500	-	-	H24	Emergency frequencies for all services
		243.000	-	-	H24	
ATIS	FRANKFURT ATIS	118.030	-	-	H24	(ARR ATIS) Designated operational coverage 60 NM, FL 250
		118.730	-	-	H24	(DEP ATIS) Designated operational coverage 25 NM
APP	LANGEN RADAR	120.155	-	-	HX	DEP NORTH 40 NM, FL 150
		120.805	-	-	H24	ARR NORTH 60 NM, FL 200
		125.355	-	-	HX	ARR SOUTH 60 NM, FL 200
		126.555	-	-	HX	Stand-by frequency for Frankfurt Departure, 45 NM, FL 150
		136.130	-	-	HX	DEP SOUTH 60 NM, FL 200
		119.030	-	-	HX	Stand-by frequency for Frankfurt Arrival, 60 NM, FL 200
		253.425	-	-	H24	50 NM, FL 250
		373.825	-	-	HX	50 NM, FL 250
	FRANKFURT ARRIVAL	118.505	-	-	H24	40 NM, FL 150
		127.280	-	-	HX	40 NM, FL 150
		259.175	-	-	HX	25 NM, FL 100
TWR	FRANKFURT TOWER	119.905	-	-	H24	25 NM, 5000 ft
		124.855	-	-	HX	DEP via RWY 18; 25 NM, 4000 ft
		118.780	-	-	H24	25 NM, 5000 ft
		127.330	-	-	HX	Stand-by frequency for Frankfurt TWR 25 NM, 5000 ft
		136.500	-	-	HX	25 NM, 5000 ft
		399.050	-	-	H24	25 NM, 4000 ft
	FRANKFURT GROUND	121.805	-	-	HX	Taxi guidance within area of responsibility of DFS
	FRANKFURT DELIVERY	122.035	-	-	H24	Initial call and start-up request
	FRANKFURT APRON	121.655	-	-	H24	Push-back approvals and taxi guidance on apron by Fraport AG (apron control) in English, German
		121.705	-	-	H24	
		121.755	-	-	H24	
		121.855	-	-	H24	
		121.955	-	-	H24	
		121.965	-	-	H24	