


AIRCRAFT PARKING DOCKING CHART - ICAO

GROSSETO



AD ELEV	20
APRON ELEV	12

LIRS

42° 45' 35" N

011° 04' 19" E

Bearing are magnetic Distances in metres Elevation in ft AMSL Coordinates WGS 84	TWR 128.105 124.525
---	---------------------------

CIVIL APRON

LIGHTING	BEARING STRENGTH
----------	------------------

Edge: Blue	APRON 100 Surface: Concrete PCN 50/R/B/W/T
	APRON 200 Surface: Concrete PCN 50/R/B/W/T


POINTS OF PARKING AREA

STANDS	N	E
11	42° 45' 47.70"	011° 04' 56.10"
12	42° 45' 47.90"	011° 04' 53.80"

CHANGE: AD ELEV UPDATED


INTERMEDIATE HOLDING POSITION P2

P



LEGEND	
	CIVIL APRON AREA
	SELF MANOEUVRING
	LATTICE TOWER

- REMARKS:
- Apron 200: apron for long-term aircraft parking, where ACFT can be moved (IN/OUT) only by towbarless tug and with engine off.
 - See AD 2 LIRS Table 20 item 2 and 3 for whole civil apron use regulation.



Data provided by SEAM S.p.A.