

# AERODROME CHART

Delivery 121.75(DCL AVBL)  
 D-ATIS 126.25  
 TWR 118.85(124.35)  
 GND 121.95(DCL AVBL)

Ramp01 121.6(E)  
 Ramp02 121.675(N)

# ZYCC CHANGCHUN/Longjia

N43° 59.9'E125° 41.3' ELEV 215.3m

RWY	Direction	Bearing strength
06	058°	PCR 1220/R/A/W/T: RWY06/24 CONC
		PCR 1800/F/B/X/T: TWY D
		PCR 1780/F/B/X/T: TWY E
		PCR 1710/F/B/X/T: TWY B
		PCR 1370/R/A/W/T: TWY L2
		PCR 1290/R/A/W/T: TWY A(BTN RWY & Main A)
		PCR 1200/R/A/W/T: TWY A1(BTN RWY24 & Main A)
		PCR 1180/R/A/W/T: TWY Main A
		PCR 1090/R/A/W/T: TWY H
		PCR 1080/R/A/W/T: TWY H1, H2
		PCR 1070/R/A/W/T: TWY A1(BTN Main A & H)
		PCR 1060/R/A/W/T: TWY H4
		PCR 1030/R/A/W/T: TWY G
		PCR 1000/R/A/W/T: TWY L1
24	238°	PCR 980/R/A/W/T: TWY L4
		PCR 970/R/A/W/T: TWY L3
		PCR 880/R/A/W/T: TWY H3
		PCR 670/R/A/W/T: TWY C
		PCR 620/R/A/W/T: TWY F


BEARINGS ARE MAGNETIC.  
 ALTITUDES, DISTANCES,  
 ELEVATIONS AND HEIGHTS  
 IN METERS.



ILS/GP  
334.4

ILS/LOC  
109.3 IDD

ELEV 196.8





Note: ARP located 1400m inwards RWY24 THR

ILS/GP  
332.0

ILS/LOC  
110.1 IPP

ELEV 215.3



TAKE-OFF MINIMA(WITH RELIABLE ALTN)(m)					LIGHTS	
ACFT Type	RWY06		RWY24		RWY06	RWY24
	REDL	NIL(Day only)	REDL	NIL(Day only)		
2 TURB ENG or 3&4 ENG	A				PALS CAT I PAPI REDL RCLL SFL RENL	PALS CAT I PAPI REDL RCLL SFL RENL
	B	RVR400	RVR500	RVR400		
	C	VIS800	VIS800	VIS800		
	D					
Other 1&2 ENG	VIS1600					

Note: For RWY24: If aircraft climb gradient < 6.2%, VIS2000 and Ceiling 90m is required.

Changes: PCR.