


STANDARD ARRIVAL CHART  
INSTRUMENT (STAR) - ICAO

TRANSITION ALTITUDE 6500

Kraków APPROACH	121.075, 126.975, 135.405
Katowice TOWER	129.255
ATIS	120.230

Katowice - Pyrzowice  
RNAV RWY 26

BAVOK 4D GOVRI 5D KUKAM 5D LENOV 5D  
MEBAN 5D MOFKE 2D UWLER 2D



1. All aircraft which cannot follow and utilize RNAV 1 procedures shall advise Krakow APP upon first contact. Radar vectoring will be provided.
2. Type of expected approach will be broadcasted by ATIS. Crews willing to perform other approach type shall advise Krakow APP upon first contact.
3. Holding patterns as directed by ATC, available for non RNAV 1 approved aircraft.
4. During peak hours expect radar vectoring at downwind position to expedite traffic handling and for separation reasons.
5. For descent planning expect base turn abeam 10-15 NM final.

RADIO COMMUNICATION FAILURE PROCEDURE

1. Set transponder to 7600.
2. Continue with assigned STAR or on previously assigned heading. Descend to last cleared and acknowledged level.
3. After 3 minutes proceed direct to KAX DVOR/DME and hold. Descend in holding pattern. Execute VOR approach for preferred runway and land.

CAUTION:  
ALL IAS VALUES ARE MAX.

Correction: AMA changed (BTN 50°00'N - 50°30'N, 20°30'E - 21°00'E).

**STANDARD ARRIVAL CHART  
INSTRUMENT (STAR) - ICAO****Katowice - Pyrzowice  
RNAV RWY 26**

BAVOK 4D GOVRI 5D KUKAM 5D LENOV 5D MEBAN 5D MOFKE 2D UWLER 2D

**BAVOK 4D**

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE / TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	BAVOK	-	-	-	-	RNAV 1
002	TF	WUDWE	050 (055.6)	13.61	-FL140	-	RNAV 1
003	TF	TAHEF	043 (049.4)	9.21	-FL120	-	RNAV 1
004	TF	KT492	032 (038.1)	12.11	-	-250	RNAV 1
005	TF	KT493	085 (090.6)	5.00	-	-	RNAV 1
006	TF	KT528	085 (090.6)	5.00	-	-	RNAV 1
007	TF	KT537	085 (090.6)	5.00	-	-	RNAV 1
008	TF	KT538	085 (090.6)	5.00	-	-220	RNAV 1
009	TF	KT539	085 (090.6)	5.00	-	-220	RNAV 1
010	TF	PABWO	355 (000.6)	5.30	+5000 ft	-220	RNAV 1

**GOVRI 5D**

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE / TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	GOVRI	-	-	-	-	RNAV 1
002	TF	QAQUW	268 (273.8)	30.03	-	-	RNAV 1
003	TF	OFGOK	269 (274.8)	18.19	+FL120	-250	RNAV 1
004	TF	KT488	311 (316.9)	10.54	-	-	RNAV 1
005	TF	KT489	265 (270.5)	8.47	-	-220	RNAV 1
006	TF	KT538	355 (000.6)	5.30	-	-220	RNAV 1
007	TF	KT539	085 (090.6)	5.00	-	-220	RNAV 1
008	TF	PABWO	355 (000.6)	5.30	+5000ft	-220	RNAV 1

**KUKAM 5D**

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE / TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	KUKAM	-	-	-	-	RNAV 1
002	TF	HIDBE	233 (239.3)	6.75	-	-	RNAV 1
003	TF	ATSEW	233 (239.1)	11.63	-	-250	RNAV 1
004	TF	KT541	268 (273.8)	5.00	-FL110	-	RNAV 1
005	TF	NIFOW	265 (270.6)	5.00	-	-220	RNAV 1
006	TF	KT512	175 (180.6)	5.59	-	-220	RNAV 1
007	TF	KT513	085 (090.6)	5.00	-	-220	RNAV 1
008	TF	ERHAF	085 (090.6)	5.00	-	-220	RNAV 1
009	TF	DUFOH	175 (180.6)	5.30	-	-220	RNAV 1
010	TF	PABWO	265 (270.5)	5.00	+5000ft	-220	RNAV 1

**LENOV 5D**

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE / TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	LENOV	-	-	-	-	RNAV 1
002	TF	UMTAH	304 (309.7)	22.45	-FL240	-	RNAV 1
003	TF	ENNAW	303 (309.4)	19.52	-	-	RNAV 1

004	TF	IFZER	341 (347.4)	10.00	-FL200	-	RNAV 1
005	TF	OFGOK	309 (315.2)	18.82	+FL120	-250	RNAV 1
006	TF	KT488	311 (316.9)	10.54	-	-	RNAV 1
007	TF	KT489	256 (270.5)	8.47	-	-220	RNAV 1
008	TF	KT538	355 (000.6)	5.30	-	-220	RNAV 1
009	TF	KT539	085 (090.6)	5.00	-	-220	RNAV 1
010	TF	PABWO	355 (000.6)	5.30	+5000ft	-220	RNAV 1

**MEBAN 5D**

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE / TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	MEBAN	-	-	-	-	RNAV 1
002	TF	DUZOW	041 (046.9)	21.90	-FL210	-	RNAV 1
003	TF	ENNAW	041 (047.0)	6.89	-	-	RNAV 1
004	TF	IFZER	341 (347.4)	10.00	-FL200	-	RNAV 1
005	TF	OFGOK	309 (315.2)	18.82	+FL120	-250	RNAV 1
006	TF	KT488	311 (316.9)	10.54	-	-	RNAV 1
007	TF	KT489	265 (270.5)	8.47	-	-220	RNAV 1
008	TF	KT538	355 (000.6)	5.30	-	-220	RNAV 1
009	TF	KT539	085 (090.6)	5.00	-	-220	RNAV 1
010	TF	PABWO	355 (000.6)	5.30	+5000ft	-220	RNAV 1

**MOFKE 2D**

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE / TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	MOFKE	-	-	-	-	RNAV 1
002	TF	KUVJE	087 (092.9)	16.08	+FL150	-	RNAV 1
003	TF	EZLIH	088 (093.5)	10.76	-	-	RNAV 1
004	TF	KT501	083 (089.4)	10.42	-	-250	RNAV 1
005	TF	OTLIC	084 (090.1)	5.00	-	-	RNAV 1
006	TF	KT511	085 (090.6)	5.00	-	-	RNAV 1
007	TF	KT512	085 (090.6)	5.00	-	-220	RNAV 1
008	TF	KT513	085 (090.6)	5.00	-	-220	RNAV 1
009	TF	ERHAF	085 (090.6)	5.00	-	-220	RNAV 1
010	TF	DUFOH	175 (180.6)	5.30	-	-220	RNAV 1
011	TF	PABWO	265 (270.5)	5.00	+5000ft	-220	RNAV 1

**UWLER 2D**

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE / TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	IF	UWLER	-	-	-	-	RNAV 1
002	TF	EZLIH	164 (169.5)	25.77	-	-	RNAV 1
003	TF	KT501	083 (089.4)	10.42	-	-250	RNAV 1
004	TF	OTLIC	084 (090.1)	5.00	-	-	RNAV 1
005	TF	KT511	085 (090.6)	5.00	-	-	RNAV 1
006	TF	KT512	085 (090.6)	5.00	-	-220	RNAV 1
007	TF	KT513	085 (090.6)	5.00	-	-220	RNAV 1
008	TF	ERHAF	085 (090.6)	5.00	-	-220	RNAV 1
009	TF	DUFOH	175 (180.6)	5.30	-	-220	RNAV 1
010	TF	PABWO	265 (270.5)	5.00	+5000ft	-220	RNAV 1

WAYPOINT IDENTIFIER	COORDINATES	
ATSEW	50 38 59.5 N	019 38 46.1 E
BAVOK	50 00 10.0 N	018 11 43.0 E
OFGOK	50 10 07.6 N	019 47 10.6 E
DUFOH	50 28 24.2 N	019 38 35.3 E
ERHAF	50 33 41.9 N	019 38 40.7 E
ENNAW	49 46 59.9 N	020 11 04.1 E
EZLIH	50 33 48.5 N	018 43 08.4 E
IFZER	49 56 45.0 N	020 07 42.4 E
GOVRI	50 06 25.3 N	021 01 54.0 E
HIDBE	50 44 56.1 N	019 54 29.1 E
DUZOW	49 42 17.9 N	020 03 18.5 E
KT488	50 17 49.5 N	019 35 58.8 E
KT489	50 17 54.9 N	019 22 46.2 E
KT492	50 23 24.5 N	018 51 36.7 E
KT493	50 23 21.5 N	018 59 25.4 E
KT501	50 33 56.8 N	018 59 28.4 E
KT511	50 33 50.8 N	019 15 09.3 E
KT512	50 33 47.8 N	019 22 59.8 E
KT513	50 33 44.8 N	019 30 50.2 E
KT528	50 23 18.5 N	019 07 14.2 E
KT537	50 23 15.5 N	019 15 02.9 E
KT538	50 23 12.5 N	019 22 51.6 E
KT539	50 23 09.6 N	019 30 40.3 E
KT541	50 39 19.9 N	019 30 56.0 E
KUKAM	50 48 22.0 N	020 03 38.0 E
LENOV	49 20 11.0 N	021 00 37.0 E
MEBAN	49 27 18.0 N	019 38 48.0 E
MOFKE	50 35 12.0 N	018 01 06.0 E
NIFOW	50 39 23.1 N	019 23 05.5 E
OTLIC	50 33 53.8 N	019 07 18.8 E
KUVJE	50 34 26.4 N	018 26 18.0 E
PABWO	50 28 27.2 N	019 30 45.7 E
QAQUW	50 08 32.4 N	020 15 21.3 E
TAHEF	50 13 52.2 N	018 39 59.1 E
UMTAH	49 34 34.4 N	020 34 13.4 E
UWLER	50 59 07.0 N	018 35 41.0 E
WUDWE	50 07 52.4 N	018 29 07.4 E