

STANDAR ARRIVAL CHART	AD LEV 59m (194Ft) HIGHT RELATED TO THR R10 ELEV 194 Ft	APP 120.35 TWR 118.1 GDN 121.9 ATIS 127.65	MNMG AUGUSTO C. SANDINO INTL. RNAV STAR RWY 10 CODING TABLE
--------------------------------------	--	---	--

KOPAL 1A													
Path descriptor	Waypoint identifier	LATITUD	LONGITUD	Flyover	Course °M (°T)	Magnetic variation	Distance NM	Turn direction	WPT DIST (NM)	ALTITUD	VPA (°) TCH (')	SPEED LIMIT (kt)	NAVIGATION SPECIFICATION
IF	KOPAL	13°08'50.2261"	086°55'09.8935"	-	-	0.60W	-	-	--	+ FL190	--	-	RNAV 1
TF	LAPAC	12°17'59.1343"	086°42'32.7515"	-	167° (166.2)	0.57W	52.3	L	5.0	+ 9000	--	MAX 250 IAS	RNAV 1
TF	MAJOA	12°10'56.2623"	086°32'04.4354"	-	125° (124.3°)	0.65°W	12.4	L	3.3	+ 5000	--	MAX 250 IAS	RNAV 1
TF	DANTO	12°10'22.5946"	086°27'00.0630"	-	097° (096.3°)	0.70°W	5	-	3.0	4000	--	MAX 250 IAS	RNAV 1
TF	MANUA	12°09'48.8019"	086°21'55.6831"	-	097° (096.3°)		5	-	4.7	= 3000	--	MAX 250 IAS	RNAV 1

URPOS 1A													
Path descriptor	Waypoint identifier	LATITUD	LONGITUD	Flyover	Course °M (°T)	Magnetic variation	Distance NM	Turn direction	WPT DIST (NM)	ALTITUD	VPA (°) TCH (')	SPEED LIMIT (kt)	NAVIGATION SPECIFICATION
IF	TUKOR	12°52'38.8660"	087°49'04.2990"	-	-	0.05W	-	-	--		--	-	RNAV 1
TF	URPOS	12°33'28.3570"	087°06'11.3660"	-	115° (114.9)	0.40W	46.1	R	5.0	+ FL190	--	MAX 250 IAS	RNAV 1
TF	LAPAC	12°17'59.1343"	086°42'32.7515"	-	125° (124.3°)	0.57°W	27.9	-	3.3	+ 9000	--	MAX 250 IAS	RNAV 1
TF	MAJOA	12°10'56.2623"	086°32'04.4354"	-	125° (124.3°)	0.65°W	12.4	L	3.0	+ 5000	--	MAX 250 IAS	RNAV 1
	DANTO	12°10'22.5946"	086°27'00.0630"	-	097° (096.3°)	0.70° W	5.0			4000	--	MAX 250 IAS	RNAV 1
TF	MANUA	12°09'48.8019"	086°21'55.6831"	-	097° (096.3°)		5.0	-	4.7	= 3000	--	MAX 250 IAS	RNAV 1