

TABULAR DESCRIPTION

RNP RWY22R											
Serial Number	Path Terminator	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation(°)	Distance (NM)	Turn Direction	Altitude (ft)	Speed Limit (kt)	VPA/TCH	Navigation Specification
010	IF	LAREN	-	-	-	-	-	+6000	-	-	RNAV 1
020	TF	PZ530	-	086 (089.9)	-	11.8	-	-	-	-	RNAV 1
030	TF	ERSAB	-	039 (042.1)	-	13.4	-	+5000	-	-	RNAV 1
040	TF	PZ531	-	024 (027.5)	-	10.0	-	+3500	-	-	RNAV 1
050	TF	PZ537	-	287 (290.0)	-	6.8	L	+2000	-185	-	RNP APCH
010	IF	ERSAB	-	-	-	-	-	+5000	-	-	RNAV 1
020	TF	PZ531	-	024 (027.5)	-	10.0	-	+3500	-	-	RNAV 1
030	TF	PZ537	-	287 (290.0)	-	6.8	L	+2000	-185	-	RNP APCH
010	TF	PZ537	-	-	-	-	-	+2000	-185	-	RNP APCH
020	TF	PZ538	-	219 (222.2)	-	3.3	-	+2000	-	-	RNP APCH
030	TF	RW22R	Y	219 (222.1)	-	6.1	-	@55	-	-3.0/15	RNP APCH
040	CF	PZ539	Y	219 (222.0)	-	11.0	-	+2000	-210	-	RNP APCH
050	TF	INDOD	-	135 (137.7)	-	14.4	L	+4000	-210	-	RNAV 1
060	HM	INDOD	Y	354 (357.0)	-	-	L	+4000	-210	-	RNAV 1

Path Terminator	Waypoint Identifier	Inbound Course °M (°T)	Leg Distance (NM) (1)	Timing(min.)/ Waypoint Distance (NM) (2)	Turn Direction	Minimum Altitude (FT)	Maximum Altitude (FL)	Speed Limit (kt)	Magnetic Variation (°)	Navigation Specification
HM	LAREN	038 (042.0)	3.6	-/4.7	R	4000	-	200	3.0	RNAV 1
HM	ERSAB	032 (035.0)	3.9	-/5.1	R	5000	-	210	3.0	RNAV 1
HM	INDOD	354 (357.0)	3.8	-/5.0	L	4000	-	210	3.0	RNAV 1

(1) RNAV system with holding functionality

(2) RNAV system without holding functionality

WAYPOINT LIST

RNP RWY22R

Waypoint Identifier	Coordinates
PZ530	45°16'41.05"N 012°20'22.79"E
PZ531	45°35'29.19"N 012°39'41.40"E
PZ537	45°37'49.25"N 012°30'35.57"E
PZ538	45°35'20.90"N 012°27'23.82"E
PZ539	45°22'39.25"N 012°11'05.61"E

SBAS FAS DATA BLOCK LIPZ RNP RWY22R

INPUT DATA	
PARAMETERS	VALUES
Operation Type	0
SBAS Provider	1
Airport Identifier	LIPZ
Runway	22
Runway Direction	1
Approach Performance Designator	0
Route Indicator	
Reference Path Data Selector	0
Reference Path Identifier	E22B
LTP/FTP Latitude	453049.3430N
LTP/FTP Longitude	0122133.8585E
LTP/FTP Ellipsoidal Height (metres)	45.3
FPAP Latitude	452943.5570N
Delta FPAP Latitude (seconds)	-65.7860
FPAP Longitude	0122009.2875E
Delta FPAP Longitude (seconds)	-84.5710
Threshold Crossing Height	50.0
TCH Units Selector	0
Glidepath Angle (degrees)	3.00
Course Width (metres)	105.00
Length Offset (metres)	0
HAL (metres)	40.0
VAL (metres)	50.0

OUTPUT DATA	
Data Block	10 1A 10 09 0C 56 00 00 02 32 32 05 FE 48 88 13 45 D8 4D 05 C5 15 0C FE FD 4A 6B FD F4 01 2C 01 64 00 C8 FA 22 63 89 2E
Calculated CRC Value	2263892E

Required Additional Data (not CRC wrapped)

Parameters	Values
ICAO Code	LI
LTP/FTP Orthometric Height (metres)	1.6