


**INSTRUMENT
APPROACH
CHART - ICAO**


PLATOV RADAR 121.200
PLATOV TOWER 119.700

**ROSTOV-NA-DONU, RUSSIA
PLATOV
GLS RWY 05**



Alt set: -QNH(QFE on req);
-hPa(mm on req).

BEARINGS AND TRACKS ARE MAG.
ELEVATIONS IN **FEET**
ALTITUDES IN **FEET**
HEIGHTS IN METRES
DISTANCES IN KILOMETRES



OCA(H)	A	B	C	D	DL					
Straight-in Approach	CAT I	324' (153')	335' (164')	348' (177')	363' (192')	365' (194')				
Circling	690' (410')	870' (590')	970' (690')	980' (690')	980' (690')					
GROUND SPEED	km/h	150	180	210	240	270	300	330	360	390
RATE OF DESCENT	m/s	2.2	2.6	3.0	3.5	3.9	4.3	4.8	5.2	5.6
	ft/min	427	512	597	682	768	853	938	1024	1109

1 TRANSITION LEVEL:
- FL050 when QNH is 996 hPa (747mm mercury column) or above;
- FL060 when QNH is 960 hPa (720mm mercury column) or above, but less than 996 hPa (747mm mercury column).

NOTE
HLDG over IAF RP339 is AVBL by ATC.

CHANGE: URP