

FRANKFURT MAIN  
ILS Z CAT II & III RWY 25C

INSTRUMENT APPROACH PROCEDURE  
TABULAR DESCRIPTION

| Procedure Remark:           |                 |                              |                              |                                |                            |                    |                      |                    |                        |                                    |                     |                |
|-----------------------------|-----------------|------------------------------|------------------------------|--------------------------------|----------------------------|--------------------|----------------------|--------------------|------------------------|------------------------------------|---------------------|----------------|
| Approach Segment            | Path Terminator | Waypoint Identifier          | Coordinates                  | Fly Over                       | (True Track°) / Mag Track° | Distance (NM)      | Turn Direction       | Altitude (ft) / FL | Speed Limit / (kt IAS) | Vertical Path Angle (°) / TCH (ft) | NAV - Specification | Remarks        |
| Initial APCH from CHA       | IF              | CHA                          | N 49 55 15.97 E 009 02 23.34 | N                              | -                          | -                  | -                    | A5000+             | -                      | -                                  | RNAV 1              | -              |
|                             | TF              | DF582                        | N 49 57 02.14 E 009 09 54.81 | N                              | (T069.9) 067               | 5.2                | -                    | A5000+             | -                      | -                                  | RNAV 1              | -              |
|                             | TF              | DF581                        | N 50 06 46.76 E 009 04 24.37 | N                              | (T340.0) 337               | 10.4               | -                    | A4000+             | -                      | -                                  | RNAV 1              | -              |
|                             | TF              | DF580                        | N 50 07 41.85 E 008 56 17.76 | N                              | (T280.0) 277               | 5.3                | -                    | A4000+             | 220-                   | -                                  | RNAV 1              | -              |
| Initial APCH from DF526     | IF              | DF526                        | N 50 14 21.68 E 009 24 53.24 | N                              | -                          | -                  | -                    | A4000+             | -                      | -                                  | RNAV 1              | -              |
|                             | TF              | DF525                        | N 50 13 00.46 E 009 19 00.96 | N                              | (T250.3) 247               | 4.0                | -                    | -                  | -                      | -                                  | RNAV 1              | -              |
|                             | TF              | DF524                        | N 50 11 38.93 E 009 13 09.02 | N                              | (T250.2) 247               | 4.0                | -                    | -                  | -                      | -                                  | RNAV 1              | -              |
|                             | TF              | DF523                        | N 50 10 17.10 E 009 07 17.42 | N                              | (T250.1) 247               | 4.0                | -                    | -                  | -                      | -                                  | RNAV 1              | -              |
|                             | TF              | DF522                        | N 50 08 54.97 E 009 01 26.16 | N                              | (T250.0) 247               | 4.0                | -                    | -                  | -                      | -                                  | RNAV 1              | -              |
| TF                          | DF580           | N 50 07 41.85 E 008 56 17.76 | N                            | (T249.8) 246                   | 3.5                        | -                  | A4000+               | 220-               | -                      | RNAV 1                             | -                   |                |
| APCH                        | CF              | DF520                        | N 50 06 35.94 E 008 51 37.60 | N                              | (T249.6) 246               | -                  | -                    | A4000+             | -                      | -                                  | -                   | FAF for coding |
| Missed APCH                 | DF              | DF585                        | N 49 59 12.78 E 008 20 39.51 | N                              | -                          | -                  | -                    | -                  | -                      | -                                  | RNAV 1              | -              |
|                             | CA              | -                            | -                            | -                              | (T249.7) 246               | -                  | -                    | A5000+             | 220-                   | -                                  | RNAV 1              | -              |
|                             | DF              | CHA                          | N 49 55 15.97 E 009 02 23.34 | N                              | -                          | -                  | L                    | @A5000             | 250-                   | -                                  | RNAV 1              | -              |
| RNAV HOLDING IDENTIFICATION |                 |                              |                              |                                |                            |                    |                      |                    |                        |                                    |                     |                |
| Path Terminator             | Holding Fix     | Coordinates                  | (True Track°) / Mag Track°   | Time (MIN) / Distance outbound | Turn Direction             | Altitude (ft) / FL | Speed Limit (kt IAS) | Remarks            |                        |                                    |                     |                |
| HM                          | CHA             | N 49 55 15.97 E 009 02 23.34 | (T286.5) 283                 | 1                              | R                          | FL100-<br>A5000+   | 230-                 | -                  |                        |                                    |                     |                |