

Designations RWY NR	TRUE BRG	Dimensions of RWY (m)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
26R	263.40°	4000 x 60	90/R/A/W/T CONC grooved	N 48 22 00.793 E 011 49 16.222	THR 1448.6 ft
08R	83.40°	4000 x 60	90/R/A/W/T CONC grooved	N 48 20 26.413 E 011 45 03.655	THR 1485.5 ft
26L	263.40°	4000 x 60	90/R/A/W/T CONC grooved	N 48 20 41.274 E 011 48 16.612	THR 1469.7 ft

Slope of RWY-SWY	SWY dimensions (m)	CWY dimensions (m)	Strip dimensions (m)	RESA dimensions (m)	Description, location of arresting system	OFZ
7	8	9	10	11	12	13
see AOC	-	60 x 150	4120 x 280	240 x 150	-	Available
see AOC	-	60 x 150	4120 x 280	240 x 150	-	Available
see AOC	-	60 x 150	4120 x 280	240 x 150	-	Available
see AOC	-	60 x 150	4120 x 280	240 x 150	-	Available

Remarks	
	14
08L	Nil
26R	Nil
08R	Nil
26L	Nil

EDDM AD 2.13 Declared distances

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)
1	2	3	4	5
08L	4000	4060	4000	4000
TWY A3	3800	3860	3800	NIL
TWY A4	2820	2880	2820	NIL
TWY A6	2200	2260	2200	NIL
26R	4000	4060	4000	4000
TWY A10	2260	2320	2260	NIL
TWY A12	2780	2840	2780	NIL
TWY A13	3800	3860	3800	NIL
08R	4000	4060	4000	4000
TWY B3	3800	3860	3800	NIL
TWY B4	2840	2900	2840	NIL
TWY B6	2220	2280	2220	NIL
26L	4000	4060	4000	4000
TWY B10	2200	2260	2200	NIL
TWY B12	2820	2880	2820	NIL
TWY B13	3800	3860	3800	NIL

Remarks	
	6
08L	Nil