

EDDE AD 2.13 Declared distances

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)
1	2	3	4	5
09	2600	2800	2600	2600
TWY C	950	1150	950	NIL
TWY D	1600	1800	1600	NIL
TWY E	2000	2200	2000	NIL
27	2600	2800	2600	2390
TWY B	2200	2400	2200	NIL
TWY C	1650	1850	1650	NIL
TWY D	1000	1200	1000	NIL

Remarks	
6	
09	Nil
27	Nil

EDDE AD 2.14 Approach and runway lighting

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ LGT LEN	RWY centre line LGT LEN, spacing colour, INTST	RWY edge LGT LEN Spacing, colour INTST	RWY end LGT colour WBAR	SWY LGT LEN (M) colour
1	2	3	4	5	6	7	8	9
09	ALSAF LIH Sequence flash available	G LIH	3.0° 55.00 ft	W LIH	Up to 1700 m: W LIH; 1700 – 2300 m: R/W LIH; 2300 – 2600 m: R LIH. 15 m spacing	W LIH	R LIH	-
27	ALSAF LIH Sequence flash available	G LIH	3.0° 57.00 ft	W LIH	Up to 1490 m: W LIH; 1490 – 2090 m: R/W LIH; 2090 – 2390 m: R LIH. 15 m spacing	W LIH	R LIH	-

Remarks	
10	
09	Nil
27	Nil