

EDSB AD 2.8 Aprons, taxiways and check locations data

1	Designation, surface and strength of aprons	APRON1: CONC; PCN 70 APRON2: CONC; PCN 70 APRON3: CONC; PCN 32 APRON4: CONC; PCN 50
2	Designation, width, surface and strength of taxiways	TWY G: 30 m; ASPH; PCN 70/F/A/W/T TWY S: 25 m; ASPH; PCN 70/F/A/W/T TWY H, J, K, M, N: 23 m; CONC+ASPH; PCN 70 TWY A, B, D, E, T: 23 m; CONC+ASPH; PCN 70/F/A/W/T TWY C, S_BTN_APRON2-M: 18 m; ASPH; PCN 70/F/A/W/T TWY Q: 15 m; CONC+ASPH; PCN 50 TWY P, Z: 10.5 m; CONC+ASPH; PCN 50
3	Altimeter checkpoint location and elevation	-
4	VOR checkpoints	NIL
5	INS checkpoints	NIL
6	Remarks	NIL

EDSB AD 2.9 Surface movement guidance and control system and markings

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system at aircraft stands	NIL
2	RWY and TWY markings and LGT	White: THR marking, RWY designation, RCL, TDZ Yellow: TWY centre line, taxi holding position, taxiing guide lines
3	Stop bars	R LIH
4	Remarks	RWY, TWY direction and position indicators; RWY, TWY lighted; Runway guard lights: Y LIH

EDSB AD 2.10 Aerodrome obstacles

Refer to AD 2 EDSB 2.11 AERODROME OBSTACLE CHART - ICAO TYPE A RWY 03/21