

EDHI AD 2.13 Declared distances

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)
1	2	3	4	5
05	3183	3183	3183	2526
TURN PAD NORTH	2540	2540	2540	NIL
TWY D SOUTH	1700	1700	1700	NIL
TWY G	1710	1710	1710	NIL
23	2935	2935	3025	2518
TWY B	1815	1815	1905	NIL
TWY D NORTH	1470	1470	1560	NIL
TWY E	2715	2715	2805	NIL

Remarks	
6	
05	TORA 2973 m; TODA 2973 m, ASDA 2973 m (Special use for code F aircraft (take-off position displaced))
23	TORA 2725 m; TODA 2725 m, ASDA 2815 m (TORA/TODA and ASDA distances reduced due to decreased lateral safety strip at end of RWY.)(Special use for code F aircraft (take-off position displaced))

EDHI AD 2.14 Approach and runway lighting

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ LGT LEN	RWY centre line LGT LEN, spacing colour, INTST	RWY edge LGT LEN Spacing, colour INTST	RWY end LGT colour WBAR	SWY LGT LEN (M) colour
1	2	3	4	5	6	7	8	9
05	ALSAF LIH Sequence flash available	G LIH	3.0° 59.00 ft	W LIH	Up to 2283 m: W LIH; 2283 – 2883 m: R/W LIH; 2883 – 3183 m: R LIH 15 m spacing	W LIH	R LIH	-
23	ALSAF LIH Sequence flash available	G LIH	3.0° 52.00 ft	-	Up to 2125 m: W LIH; 2125 – 2725 m: R/W LIH; 2725 – 3025 m: R LIH 15 m spacing	W LIH	R LIH	-

Remarks	
10	
05	Flashes THR RWY 05 available.
23	Flashes THR RWY 23 available.