

HOF-PLAUEN
RWY 26

INSTRUMENT APPROACH PROCEDURE
TABULAR DESCRIPTION
ICAO RNP

Procedure Remarks

- 1 IFR PROFILES WITHIN AIRSPACE CLASS E. WATCH OUT FOR VFR TRAFFIC UNKNOWN TO ATC.
- 2 EGNOS CH 87873 E26A.
- 3 BARO-VNAV OPERATIONS NOT AUTHORIZED BELOW -15°C

Approach Segment	Recommended Path Terminator	Way-point Identifier	Coordinates	Fly Over	(True Track ^o) Mag Track ^o	Distance (NM)	Turn Direction	Altitude (ft) / Flight Level	Speed Limit (kt IAS)	Vertical Path Angle (°) / TCH (ft)	NAV Specification	Remarks
Initial APCH from HOF	IF	HOF	N 50 17 04.66 E 011 45 41.02	-	-	-	-	A3800+	-	-	RNP APCH	-
	TF	QM211	N 50 12 40.85 E 012 01 33.66	-	(T 113.5) 111	11.1	-	A3800+	210-	-	RNP APCH	-
	TF	QM210	N 50 12 50.75 E 012 06 14.10	-	(T 086.9) 084	3.0	-	A3800+	210-	-	RNP APCH	-
	TF	QM200	N 50 17 50.00 E 012 05 48.68	-	(T 356.9) 354	5.0	-	A3800+	210-	-	RNP APCH	-
APCH	TF	TUXIX	N 50 17 36.78 E 011 59 34.98	-	(T 266.8) 264	4.0	-	A3800+	-	-	RNP APCH	-
	TF	RW26	N 50 17 20.35 E 011 51 48.93	Y	(T 266.8) 264	5.0	-	-	-	-3.5/50	RNP APCH	-
Missed APCH	CF	QM201	N 50 17 01.15 E 011 43 04.21	Y	(T 266.8) 264	5.6	-	-	160-	-	RNP APCH	-
	DF	HOF	N 50 17 04.66 E 011 45 41.02	Y	-	-	R	@A3800	160-	-	RNP APCH	-

RNAV HOLDING IDENTIFICATION

Recommended Path Terminator	Holding Fix	Coordinates	Inbound (True Track ^o) MAG Track ^o	Max Speed (kt IAS)	Altitude (ft) / Flight Level	Time / Distance outbound	Turn Direction	Remarks
HM	HOF	N 50 17 04.66 E 011 45 41.02	(T 176.8) 174	230-	A3800+	1 min	R	-