

BIAR RNP SID RWY 01
Recommended Coding Tables

PERUR 1A

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course / Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt/h)	Navigation Specification
010	CF	AR410	-	011 (000.5)	+10.0	5.0		A2300+	-165 KT	RNP 1 (GNSS)
020	TF	AR411	-	281 (270.5)	+10.1	3.3	L	A3700+	-165 KT	RNP 1 (GNSS)
030	TF	AR412	-	237 (227.4)	+10.2	7.2	L	A5800+		RNP 1 (GNSS)
040	TF	PERUR	-	235 (224.6)	+10.4	19.3				RNP 1 (GNSS)

ASKUR 1A

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course / Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt/h)	Navigation Specification
010	CF	AR410	-	011 (000.5)	+10.0	5.0		A2300+	-165 KT	RNP 1 (GNSS)
020	TF	AR411	-	281 (270.5)	+10.1	3.3	L	A3700+	-165 KT	RNP 1 (GNSS)
030	TF	AR412	-	237 (227.4)	+10.2	7.2	L	A5800+		RNP 1 (GNSS)
040	TF	ASKUR	-	204 (193.7)	+10.2	29.4	L			RNP 1 (GNSS)

PERUR 1B

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course / Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt/h)	Navigation Specification
010	CA		-	006 (355.5)	+10.0			A2600+	-165 KT	RNP 1 (GNSS)
020	DF	AR421	-		+9.9		R	A4500+	-165 KT	RNP 1 (GNSS)
030	TF	AR422	-	201 (190.6)	+9.9	6.8		A6000+		RNP 1 (GNSS)
040	TF	PERUR	-	270 (260.5)	+10.4	25.0	R			RNP 1 (GNSS)

ASKUR 1B

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course / Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt/h)	Navigation Specification
010	CA		-	006 (355.5)	+10.0			A2600+	-165 KT	RNP 1 (GNSS)
020	DF	AR421	-		+9.9		R	A4500+	-165 KT	RNP 1 (GNSS)
030	TF	AR422	-	201 (190.6)	+9.9	6.8		A6000+		RNP 1 (GNSS)
040	TF	ASKUR	-	234 (223.7)	+10.2	26.3				RNP 1 (GNSS)

UTISU 2A

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course / Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt/h)	Navigation Specification
010	CF	AR401	-	004 (353.5)	+10.1	11.3		A6500+		RNP 1 (GNSS)
020	TF	UTISU	-	095 (084.7)	+9.7	19.4	R			RNP 1 (GNSS)

MAMEP 1A

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course / Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt/h)	Navigation Specification
010	CA		-	004 (353.5)	+10	-	-	A2600+		RNP 1 (GNSS)
020	DF	MAMEP	-	-	+9.6	-	R	A6000+		RNP 1 (GNSS)

CUBAS 1F

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course / Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt/h)	Navigation Specification
010	CA		-	358 (348.0)	+10	-	-	A5000+		RNP 1 (GNSS)
020	DF	CUBAS	-	-	+10	-	L			RNP 1 (GNSS)

DORFA 1F

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course / Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt/h)	Navigation Specification
010	CA		-	358 (348.0)	+10	-	-	A5000+		RNP 1 (GNSS)
020	DF	DORFA	-	-	+10	-	R			RNP 1 (GNSS)

JARRI 1F

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course / Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt/h)	Navigation Specification
010	CA		-	358 (348.0)	+10	-	-	A5000+		RNP 1 (GNSS)
020	DF	JARRI	-	-	+10	-	L			RNP 1 (GNSS)

MAMEP 1F

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course / Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt/h)	Navigation Specification
010	CA		-	358 (348.0)	+10	-	-	A5000+		RNP 1 (GNSS)
020	DF	MAMEP	-	-	+10	-	R			RNP 1 (GNSS)

PERUR 1F

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course / Track °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed (kt/h)	Navigation Specification
010	CA		-	358 (348.0)	+10	-	-	A5000+		RNP 1 (GNSS)
020	DF	PERUR	-	-	+10	-	L			RNP 1 (GNSS)