


**STANDARD DEPARTURE CHART
INSTRUMENT (SID) - ICAO**

TRANSITION ALTITUDE 6500

Warszawa APPROACH	125.055, 128.805, 129.380, 135.930	Okecie TOWER	118.305
Okecie DELIVERY	121.605	ATIS DEP	123.430
Okecie GROUND	121.905		

WARSAW CHOPIN AIRPORT

RNAV RWY 29
BAMSO 6G EVINA 7G LOLSI 7G
OLILA 6G SOXER 7G XIMBA 8G



1. All aircraft which can not follow and utilize RNAV 1 procedures shall advise ATC before start up. Radar vectoring will be provided, usually along published procedures.
2. Expect direct routing/shortcuts by ATC whenever possible (especially during off-peak hours).
3. MAX IAS during initial turn as indicated in route description.
4. Initial SID climb: climb and maintain 6000 unless otherwise cleared by ATC.
5. Aircraft unable to achieve SID profile restrictions must request non-standard departure from ATC before start-up.

RADIO COMMUNICATION FAILURE PROCEDURE

- SET TRANSPONDER TO 7600
- a) Continue on assigned and acknowledged SID. After 3 minutes climb to FPL flight level.
 - b) If being vectored, continue on assigned heading for 3 minutes, then proceed direct to last SID WP climbing to FPL flight level.

AFTER DEPARTURE CONTACT
WARSAWA APPROACH
AS SOON AS POSSIBLE

Strict adherence to published procedures
is required for noise abatement purposes.

BEARINGS AND TRACKS ARE MAGNETIC.
TRACKS IN BRACKETS ARE TRUE.
ALTITUDES AND ELEVATIONS ARE IN FEET.
DISTANCES ARE IN NAUTICAL MILES.

SCALE 1 : 750 000



Correction: XENOM altitude restriction.

STANDARD DEPARTURE CHART
INSTRUMENT (SID) - ICAOWARSAW CHOPIN AIRPORT
RNAV RWY 29
BAMSO 6G EVINA 7G LOLSI 7G OLILA 6G SOXER 7G XIMBA 8G

BAMSO 6G

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	WA901	Y	289 (294.5)	1.30	-	+1500 ft	-200	RNAV 1
002	DF	WA931	-	-	-	-	-	-	RNAV 1
003	TF	WA932	-	308 (313.7)	4.05	-	-	-240	RNAV 1
004	TF	WA791	-	343 (349.3)	4.99	-	+6000 ft	-240	RNAV 1
005	TF	BITVA	-	084 (090.1)	11.50	-	-	-	RNAV 1
006	TF	WA571	-	088 (094.4)	13.13	-	-	-	RNAV 1
007	TF	BAMSO	-	082 (088.4)	17.21	-	-	-	RNAV 1

EVINA 7G

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	WA901	Y	289 (294.5)	1.30	-	+1500 ft	-200	RNAV 1
002	DF	WA921	-	-	-	-	+5000 ft	-	RNAV 1
003	TF	EVDEX	-	212 (218.0)	16.04	-	-	-	RNAV 1
004	TF	NIPUS	-	179 (185.4)	17.70	-	+FL180	-	RNAV 1
005	TF	EVINA	-	179 (185.4)	16.00	-	-	-	RNAV 1

LOLSI 7G

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	WA901	Y	289 (294.5)	1.30	-	+1500 ft	-200	RNAV 1
002	DF	WA902	-	-	-	-	-	-	RNAV 1
003	TF	WA903	-	277 (282.9)	4.97	-	+5000 ft	-	RNAV 1
004	TF	MAKUS	-	244 (250.3)	7.98	-	-	-	RNAV 1
005	TF	LOLSI	-	268 (273.9)	23.30	-	-	-	RNAV 1

OLILA 6G

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	WA901	Y	289 (294.5)	1.30	-	+1500 ft	-200	RNAV 1
002	DF	WA931	-	-	-	-	-	-	RNAV 1
003	TF	WA932	-	308 (313.7)	4.05	-	-	-	RNAV 1
004	TF	WA791	-	343 (349.3)	4.99	-	+6000 ft	-	RNAV 1
005	TF	INRAS	-	358 (004.2)	9.17	-	+7000 ft	-	RNAV 1
006	TF	RODEV	-	300 (306.2)	10.64	-	-	-	RNAV 1
007	TF	OLILA	-	300 (306.0)	10.35	-	-	-	RNAV 1

SOXER 7G

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	WA901	Y	289 (294.5)	1.30	-	+1500 ft	-200	RNAV 1
002	DF	WA902	-	-	-	-	-	-	RNAV 1
003	TF	WA903	-	277 (282.9)	4.97	-	+5000 ft	-	RNAV 1
004	TF	MAKUS	-	244 (250.3)	7.98	-	-	-	RNAV 1
005	TF	SOXER	-	247 (252.9)	21.94	-	-	-	RNAV 1

XIMBA 8G

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	FLY - OVER	COURSE/TRACK °M (°T)	DISTANCE (NM)	TURN DIRECTION	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	WA901	Y	289 (294.5)	1.30	-	+1500 ft	-200	RNAV 1
002	DF	WA921	-	-	-	-	+5000 ft	-	RNAV 1
003	TF	EVDEX	-	212 (218.0)	16.04	-	-	-	RNAV 1
004	TF	XENOM	-	128 (133.7)	15.65	-	+FL150	-	RNAV 1
005	TF	TISTA	-	088 (093.8)	14.91	-	-	-	RNAV 1
006	TF	XIMBA	-	112 (118.0)	11.87	-	-	-	RNAV 1

WAYPOINT IDENTIFIER	COORDINATES	
	BAMSO	52 20 09.1 N
BITVA	52 20 46.0 N	021 05 11.3 E
EVDEX	51 56 46.5 N	020 26 40.6 E
EVINA	51 23 16.0 N	020 21 36.0 E
INRAS	52 29 56.3 N	020 47 31.8 E
LOLSI	52 10 38.9 N	019 52 17.0 E
MAKUS	52 09 10.0 N	020 30 03.0 E
NIPUS	51 39 10.8 N	020 23 59.8 E
OLILA	52 42 16.0 N	020 19 42.0 E
RODEV	52 36 12.2 N	020 33 27.2 E
SOXER	52 02 37.8 N	019 56 05.9 E
TISTA	51 44 56.0 N	021 08 50.5 E
WA571	52 19 44.0 N	021 26 32.0 E
WA791	52 20 48.4 N	020 46 26.0 E
WA901	52 10 49.5 N	020 54 53.2 E
WA902	52 10 45.6 N	020 50 06.4 E
WA903	52 11 51.9 N	020 42 14.4 E
WA921	52 09 25.1 N	020 42 37.8 E
WA931	52 13 07.2 N	020 52 43.0 E
WA932	52 15 54.6 N	020 47 57.0 E
XENOM	51 45 57.5 N	020 44 54.5 E
XIMBA	51 39 21.0 N	021 25 40.0 E