



**INSTRUMENT  
APPROACH  
CHART - ICAO**

SHEREMETYEVO RADAR 118.100 120.675 122.700 126.600 135.175  
SHEREMETYEVO TOWER 118.700 120.700 131.500

**MOSCOW, RUSSIA  
SHEREMETYEVO  
RNP RWY 24C**



DIST to RW24C	2.0	4.0	6.0	8.0
ALTITUDE/HEIGHT	1010' (120)	1350' (225)	1700' (330)	2000' (420)



OCA(H)		A	B	C	D	① TRANSITION LEVEL: - FL110 when QNH is 1013 hPa (760mm mercury column) or above; - FL120 when QNH is 977 hPa (733mm mercury column) or above, but less than 1013 hPa (760mm mercury column); - FL130 when QNH is less than 977 hPa (733mm mercury column).							
Straight-in Approach	MNM climb gradient for missed APCH	1060' (440') (135)	1060' (440') (135)	1060' (440') (135)	1060' (440') (135)								
	LNAV/VNAV	890' (270') (85)	900' (280') (90)	910' (290') (90)	1000' (380') (120)								
GROUND SPEED		km/h	150	180	210	240	270	300	330	360	390	420	450
RATE OF DESCENT		m/s	2.2	2.6	3.0	3.5	3.9	4.3	4.8	5.2	5.6	6.1	6.5
		ft/min	427	512	597	683	768	853	939	1024	1109	1195	1280

CHANGE: UUP447