

EDLN AD 2.7 Runway surface condition assessment and reporting and snow plan

1	Type(s) of clearing equipment	3 snow ploughs, 1 spreader, 2 airblast sweepers, 1 sweeper, 1 spray unit
2	Clearance priorities	-
3	Use of material for movement area surface treatment	KFOR and NAFO
4	Specially prepared winter runways	Not applicable
5	Remarks	Seasonal availability unrestricted. RWY surface condition assessment, reporting and dissemination in accordance with Global Reporting Format (GRF) methodology described in AD 1.2 and according to Regulation (EU) No 139/2014 ADR.OPS.B.037.

EDLN AD 2.8 Aprons, taxiways and check locations/positions data

1	Designation, surface and strength of aprons	ASPH; PCN 30
2	Designation, width, surface and strength of taxiways	TWY A, B, C, D, E, F: 15 m; ASPH; PCN 30
3	Altimeter checkpoint location and elevation	-
4	VOR checkpoints	-
5	INS checkpoints	-
6	Remarks	NIL

EDLN AD 2.9 Surface movement guidance and control system and markings

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system at aircraft stands	-
2	RWY and TWY markings and LGT	RWY designation, RWY centre line, THR marking TWY centre line, taxi holding position. RWY, TWY lighted.
3	Stop bars	-
4	Remarks	RWY, TWY position and direction indicators lighted. Parking signs A1 to A6

EDLN AD 2.10 Aerodrome obstacles

Refer to AD 2 EDLN 2-11 AERODROME OBSTACLE CHART - ICAO TYPE A RWY 13/31