

STANDARD DEPARTURE CHART-INSTRUMENT

RJOT / TAKAMATSU

RNAV SID and TRANSITION

TAROH THREE DEPARTURE MIHO TRANSITION		RNAV 1
<p>Note 1) DME/DME/IRU or GNSS required.                      ※The aircraft equipped with only DME/DME/IRU must be able to update its position without delay at the starting point of take-off roll.                      2) RADAR service required.</p>	Critical DME	<p>RWY08 : OYE 1.0NM from DER - 3.0NM from DER                      32.0NM to TAROH - 27.0NM to TAROH                      STD 1.0NM from DER - 3.0NM from DER                      27.0NM to TAROH - 4.0NM to TAROH                      RWY26 : KTE 2.0NM from DER - 3.0NM from DER                      STD 2.0NM from DER - 3.0NM from DER                      18.0NM to TAROH - 9.0NM to TAROH                      MIHO TRANSITION                      OIE 5.0NM to MIHOU - MIHOU</p>
<p>VAR 8° W</p>	DME GAP	<p>RWY08 : DER - 1.0NM from DER                      RWY26 : DER - 2.0NM from DER</p>
<p>Inappropriate Navaids</p>		<p>See AD1.1.6.10.3. Inappropriate NAVAIDs for RNAV1</p>
<p><b>TAROH THREE DEPARTURE</b>                      RWY08 : Climb on HDG081° at or above 1700FT, turn left direct to TAROH.                      RWY26 : Climb on HDG261° at or above 2200FT, turn right direct to TAROH.                      Note RWY08: 5.0% climb gradient required up to 1700FT.                      OBST ALT 755FT located at 0.7NM 100° FM end of RWY08.                      RWY26: 6.6% climb gradient required up to 2200FT.                      OBST ALT 1772FT located at 3.3NM 255° FM end of RWY26.</p>		
<p><b>MIHO TRANSITION</b>                      From TAROH, to MIHOU.</p>		

CHANGE : Critical DME. DME GAP added.

STANDARD DEPARTURE CHART-INSTRUMENT

RJOT / TAKAMATSU

RNAV SID and TRANSITION

TAROH THREE DEPARTURE

RWY08

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	VA	—	—	081 (072.9)	-7.8	—	—	+1700	—	—	RNAV1
002	DF	TAROH	—	—	-7.8	—	L	—	—	—	RNAV1

RWY26

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	VA	—	—	261 (252.9)	-7.8	—	—	+2200	—	—	RNAV1
002	DF	TAROH	—	—	-7.8	—	R	—	—	—	RNAV1

MIHO TRANSITION

Serial Number	Path Descriptor	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KIAS)	Vertical Angle	Navigation Specification
001	IF	TAROH	—	—	-7.8	—	—	—	—	—	RNAV1
002	TF	MIHOU	—	334 (325.8)	-7.8	59.2	—	—	—	—	RNAV1

CHANGE : VAR. SID renamed. PROC course.