

EDDW AD 2.12 Runway physical characteristics

Designations RWY NR	TRUE BRG	Dimensions of RWY (m)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
09	87.84°	2040 x 45	86/F/B/X/T ASPH	N 53 02 47.666 E 008 46 28.027	THR 13.2 ft
27	267.84°	2040 x 45	86/F/B/X/T ASPH	N 53 02 50.149 E 008 48 17.456	THR 13.5 ft
23	232.00°	700 x 23	5700 kg / 1.0 MPa ASPH	N 53 02 47.454 E 008 47 32.640	THR 13.0 ft

Slope of RWY-SWY	SWY dimensions (m)	CWY dimensions (m)	Strip dimensions (m)	RESA dimensions (m)	Description, location of arresting system	OFZ
7	8	9	10	11	12	13
see AOC	-	60 x 150	2754 x 300	240 x 90	-	Available
see AOC	-	60 x 150	2754 x 300	240 x 90	-	Available
-	-	-	760 x 60	30 x 46	-	-

Remarks	
14	
09	SWY: 300 m x 45 m; CWY: 300 m x 150 m (wing transport with A300-600ST and A330-700 BelugaXL only)
27	SWY: 294 m x 45 m; CWY: 294 m x 150 m (wing transport with A300-600ST and A330-700 BelugaXL only)
23	Nil

EDDW AD 2.13 Declared distances

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)
1	2	3	4	5
09	2040	2100	2040	2040
27	2040	2100	2040	2040
23	700	-	-	-

Remarks	
6	
09	TORA 2334 m; TODA 2634 m, ASDA 2634 m, LDA 2340 m (wing transport with A300-600ST and A330-700 BelugaXL only) declared distances for intersection take-offs A, C, and D see table on aerodrome chart AD 2 EDDW 2-5
27	TORA 2340 m; TODA 2634 m, ASDA 2634 m, LDA 2334 m (wing transport with A300-600ST and A330-700 BelugaXL only) declared distances for intersection take-offs F, E, D and C see table on aerodrome chart AD 2 EDDW 2-5
23	Nil