



**INSTRUMENT  
APPROACH  
CHART - ICAO**

SHEREMETYEVO RADAR **118.100 120.675 122.700 126.600 135.175**  
SHEREMETYEVO TOWER **118.700 120.700 131.500**

**MOSCOW, RUSSIA  
SHEREMETYEVO  
RNP RWY 06L**



DIST to RW06L	13.6	12.0	10.0	8.0	6.0	4.0	2.0
ALTITUDE/HEIGHT	3000'/(735)	2700'/(640)	2360'/(540)	2020'/(435)	1680'/(330)	1330'/(225)	1000'/(125)



OCA(H)		A	B	C	D
Straight-in	MNM climb gradient	1060' (470') (145)	1060' (470') (145)	1060' (470') (145)	1060' (470') (145)
	Approach	990' (400') (125)	1000' (410') (125)	1020' (430') (135)	1040' (450') (140)

**1** TRANSITION LEVEL:  
- FL110 when QNH is 1013 hPa (760mm mercury column) or above;  
- FL120 when QNH is 977 hPa (733mm mercury column) or above, but less than 1013 hPa (760mm mercury column);  
- FL130 when QNH is less than 977 hPa (733mm mercury column).

GROUND SPEED	km/h	150	180	210	240	270	300	330	360	390	420	450
RATE OF DESCENT	m/s	2.2	2.6	3.0	3.5	3.9	4.3	4.8	5.2	5.6	6.1	6.5
	ft/min	427	512	597	683	768	853	939	1024	1109	1195	1280

CHANGE: UUP447