

MEMMINGEN  
RWY 06

STANDARD ARRIVAL  
ROUTES - INSTRUMENT (STAR)  
RNAV (GPS)

General Remarks: NOT TO BE USED DURING ACTIVITY OF NLFS.

**ALOXO ONE CHARLIE**

**ALOXO 1C**

Procedure Remarks: ALOXO STAR BY ATC ONLY.

Recommended Path Terminator	Waypoint Identifier	Coordinates	Fly Over	(True Track°) MAG Track°	Distance (NM)	Turn Direction	Altitude (ft) / Flight Level	Speed Limit (kt IAS)	Vertical Path Angle (°)	NAV Specification	Remarks
IF	ALOXO	N 47 46 01.00 E 009 58 13.00	N	-	-	-	F070+	-	-	RNAV 1	-
TF	JA450	N 47 48 49.42 E 010 05 28.43	N	(T 060.1) 058	5.6	-	A5000+	-	-3.68	RNAV 1	-
TF	JA430	N 47 53 58.10 E 010 00 55.57	N	(T 329.3) 327	6.0	-	A4000+	-	-1.73	RNAV 1	-

**KEMPTEN ONE CHARLIE**

**KPT 1C**

Procedure Remarks: CLEARANCE LIMIT KPT.

Recommended Path Terminator	Waypoint Identifier	Coordinates	Fly Over	(True Track°) MAG Track°	Distance (NM)	Turn Direction	Altitude (ft) / Flight Level	Speed Limit (kt IAS)	Vertical Path Angle (°)	NAV Specification	Remarks
IF	KPT	N 47 44 44.79 E 010 20 59.40	N	-	-	-	F070+	-	-	RNAV 1	-
TF	JA450	N 47 48 49.42 E 010 05 28.43	N	(T 291.4) 289	11.2	-	A5000+	-	-1.68	RNAV 1	-
TF	JA430	N 47 53 58.10 E 010 00 55.57	N	(T 329.3) 327	6.0	-	A4000+	-	-1.58	RNAV 1	-

**LUPOL ONE CHARLIE**

**LUPOL 1C**

Procedure Remarks: CLEARANCE LIMIT LUPOL.

Recommended Path Terminator	Waypoint Identifier	Coordinates	Fly Over	(True Track°) MAG Track°	Distance (NM)	Turn Direction	Altitude (ft) / Flight Level	Speed Limit (kt IAS)	Vertical Path Angle (°)	NAV Specification	Remarks
IF	LUPOL	N 48 13 04.95 E 009 54 39.14	N	-	-	-	F070+	-	-	RNAV 1	-
TF	JA421	N 48 01 30.18 E 009 56 04.15	N	(T 175.3) 173	11.6	-	F070+	-	-	RNAV 1	-
TF	JA420	N 47 59 06.75 E 009 56 21.62	N	(T 175.3) 173	2.4	-	A5000+	-	-13.77	RNAV 1	-
TF	JA430	N 47 53 58.10 E 010 00 55.57	N	(T 149.2) 147	6.0	-	A4000+	-	-1.58	RNAV 1	-

**RNAV HOLDING IDENTIFICATION**

Recommended Path Terminator	Holding Fix	Coordinates	Inbound (True Track°) MAG Track°	Speed Limit (kt IAS)	Altitude (ft) / Flight Level	Time / Distance outbound	Turn Direction	Remarks
HM	KPT	N 47 44 44.79 E 010 20 59.40	(T 252.2) 250	230-	F070+	1 MIN	R	-
HM	LUPOL	N 48 13 04.95 E 009 54 39.14	(T 133.0) 131	230-	F070+	1 MIN	L	-