

EDMA AD 2.12 Runway physical characteristics

Designations RWY NR	TRUE BRG	Dimensions of RWY (m)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
07	71.49°	1594 x 30	50 ASPH grooved	N 48 25 24.193 E 010 55 24.776	THR 1510.1 ft
25	251.49°	1594 x 30	50 ASPH grooved	N 48 25 37.365 E 010 56 23.750	THR 1514.5 ft

Slope of RWY-SWY	SWY dimensions (m)	CWY dimensions (m)	Strip dimensions (m)	RESA dimensions (m)	Description, location of arresting system	OFZ
7	8	9	10	11	12	13
see AOC	-	145 x 150	1714 x 150	90 x 60	-	-
see AOC	-	199 x 150	1714 x 150	90 x 60	-	-

Remarks	
14	
07	Nil
25	Nil

EDMA AD 2.13 Declared distances

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)
1	2	3	4	5
07	1406	1551	1406	1355
TWY B	989	1134	989	NIL
TWY C	659	804	659	NIL
25	1406	1605	1406	1331
TWY C	659	858	659	NIL
TWY D	989	1188	989	NIL

Remarks	
6	
07	TORA, TODA and ASDA are each increased by 71 m if the paved areas in front of the RWY is also used.
25	TORA, TODA and ASDA are each increased by 97 m if the paved areas in front of the RWY is also used.

EDMA AD 2.14 Approach and runway lighting

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ LGT LEN	RWY centre line LGT LEN, spacing colour, INTST	RWY edge LGT LEN Spacing, colour INTST	RWY end LGT colour WBAR	SWY LGT LEN (M) colour
1	2	3	4	5	6	7	8	9
07	ALSAF 720 m Sequence flash available	G LIH	3.3°	-	-	W LIH	R LIH	-