

EDXW AD 2.19 Radio navigation and landing aids

Type of aid MAG VAR Type of supported OPS VOR/ILS/MLS <i>declination</i>	ID	Frequency/ Channel service provider RPI	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Service volume radius GBAS	Remarks
1	2	3	4	5	6	7	8
Westerland/Sylt							
ILS 32 (CAT I)							
LOC (3° E/2023)	IWES	111.50 MHz	H24	N 54 55 15.04 E 008 19 51.70		-	Usable: Up to 10 NM in the area 035°(L)/035°(R) in relation to RCL MIN interception altitude: 2000 ft MSL. From 10 NM to 18 NM in the area 010°(L)/ 010°(R) in relation to RCL MIN interception altitude: 2000 ft MSL. Usable range: 17 NM
GP	-	332.90 MHz	H24	N 54 54 23.52 E 008 21 04.10		-	Operational range 10 NM
OM	dashes	75.00 MHz	H24	N 54 51 23.49 E 008 24 36.01		-	3.5 NM THR 32
MM	dot- dash	75.00 MHz	H24	N 54 53 50.20 E 008 21 36.94		-	0.5 NM THR 32
DME	IWES	CH52x (111.50 MHz *)	H24	N 54 54 37.93 E 008 20 22.95	41	-	Operational coverage sector 0°-360°: 25 NM, FL 100 DME reading at THR 14 and 32: 0.5 DME * Ghost frequency