

STANDARD ARRIVAL CHART - INSTRUMENT

VAR 2.9° W

D-ATIS 126.4 (ARR)

ZUCK CHONGQING/Jiangbei

RNAV Rwy 20L/20R/21L/21R (OPAMU)

BEARINGS ARE MAGNETIC.
ALTITUDES, ELEVATIONS
AND HEIGHTS IN METERS.
DME DISTANCES IN
NAUTICAL MILES.
DISTANCES IN KM.

TWR01 118.2 (118.65)
TWR02 124.35 (118.65)
TWR03 118.375 (118.65)
TWR04 123.575 (118.65)


APP01 125.2 (119.55)
APP02 120.85 (119.55)
APP03 119.1 (119.55)
APP04 127.925 (124.2)
APP05 120.45 (124.2)
APP06 120.025 (124.2)

TL 3600
TA 3000
3300 (QNH ≥ 1031hPa)
2700 (QNH ≤ 979hPa)




Notes: 1. Join holding pattern with ATC permission.
2. Under radar control service, actual flight ALT by ATC.

RNAV1 GNSS, RADAR REQUIRED	or RNP1 GNSS
-------------------------------	--------------------



STAR	ROUTING
OPAMU-9K	OPAMU-CK810-CK710-CK711-CK712-CK715
OPAMU-8K	OPAMU-CK810-CK710-CK910-CK911-CK912-CK915



Changes: VAR, FREQ, RWY number, new RWY, procedure