

**EDXW AD 2.13 Declared distances**

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)
1	2	3	4	5
06	1696	1696	1696	1696
24	1696	1696	1696	1696
14	2120	2180	2152	2120
32	2120	2180	2152	2120

Remarks	
6	
06	Nil
24	Nil
14	Nil
32	Nil

**EDXW AD 2.14 Approach and runway lighting**

RWY Designator	APCH LGT type LEN INTST	THR LGT colour WBAR	VASIS (MEHT) PAPI	TDZ LGT LEN	RWY centre line LGT LEN, spacing colour, INTST	RWY edge LGT LEN Spacing, colour INTST	RWY end LGT colour WBAR	SWY LGT LEN (M) colour
1	2	3	4	5	6	7	8	9
06	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-
14	LIH Sequence flash available	G LIH	3.0° 32.00 ft	-	-	W LIH	R LIH	-
32	LIH Sequence flash available	G LIH	3.0° 32.00 ft	-	-	W LIH	R LIH	-

Remarks	
10	
06	Nil
24	Nil
14	Nil
32	Nil

**EDXW AD 2.15 Other lighting, secondary power supply**

1	ABN/IBN location, characteristics and hours of operation	NIL
2	LDI location and LGT Anemometer location and LGT	WDI available
3	TWY edge and centre line LGT	TWY edge lights of TWYs A, B, C, D: B LIL
4	Secondary power supply including switch-over time	Available
5	Remarks	Nil