

STAR RNP1 RWY 22 DESCRIPTION

ARKEM 2P (ATC Discretion)

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed Limit (kt)	Navigation Specification
IF	ARKEM	-	-	-	-	-	-	-	RNP 1
TF	ANC	-	353 (357.0)	-	8.0	-	-	-	RNP 1
TF	PY406	-	043 (046.7)	-	7.1	-	-	-	RNP 1
TF	INRIB	-	043 (046.8)	-	5.4	-	-5000 +3000	-185	RNP 1
TF	IVMAN	-	311 (315.1)	-	5.0	L	-	-185	RNP 1
TF	KEPUM	-	221 (225.0)	-	4.0	L	-	-185	RNP 1

BIDMA 2R

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed Limit (kt)	Navigation Specification
IF	BIDMA	-	-	-	-	-	-	-	RNP 1
TF	PY402	-	083 (086.9)	-	8.8	-	-	-	RNP 1
TF	PY403	-	041 (044.8)	-	5.0	-	-	-	RNP 1
TF	PY404	-	041 (044.9)	-	5.0	-	-	-	RNP 1
TF	KATFU	-	041 (044.9)	-	5.0	-	-5000 +3000	-185	RNP 1
TF	IVMAN	-	131 (134.9)	-	5.0	R	-	-185	RNP 1
TF	KEPUM	-	221 (225.0)	-	4.0	R	-	-185	RNP 1

ERLIT 1R

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed Limit (kt)	Navigation Specification
IF	ERLIT	-	-	-	-	-	-	-	RNP 1
TF	ANC	-	044 (047.6)	-	18.0	-	+4000	-	RNP 1
TF	PY406	-	043 (046.7)	-	7.1	-	-	-	RNP 1
TF	INRIB	-	043 (046.8)	-	5.4	-	-5000 +3000	-185	RNP 1
TF	IVMAN	-	311 (315.1)	-	5.0	L	-	-185	RNP 1
TF	KEPUM	-	221 (225.0)	-	4.0	L	-	-185	RNP 1

GERBU 2R

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed Limit (kt)	Navigation Specification
IF	GERBU	-	-	-	-	-	-	-	RNP 1
TF	ANC	-	332 (335.4)	-	16.0	-	+4000	-	RNP 1
TF	PY406	-	043 (046.7)	-	7.1	-	-	-	RNP 1
TF	INRIB	-	043 (046.8)	-	5.4	-	-5000 +3000	-185	RNP 1
TF	IVMAN	-	311 (315.1)	-	5.0	L	-	-185	RNP 1
TF	KEPUM	-	221 (225.0)	-	4.0	L	-	-185	RNP 1

KEGED 2R

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed Limit (kt)	Navigation Specification
IF	KEGED	-	-	-	-	-	-	-	RNP 1
TF	INRIB	-	319 (322.6)	-	11.3	-	-5000 +3000	-185	RNP 1
TF	IVMAN	-	311 (315.1)	-	5.0	-	-	-185	RNP 1
TF	KEPUM	-	221 (225.0)	-	4.0	L	-	-185	RNP 1

LANLI 2R

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed Limit (kt)	Navigation Specification
IF	LANLI	-	-	-	-	-	-	-	RNP 1
TF	NULGI	-	139 (143.0)	-	9.7	-	-	-	RNP 1
TF	KATFU	-	079 (082.6)	-	8.8	-	-5000 +3000	-185	RNP 1
TF	IVMAN	-	131 (134.9)	-	5.0	-	-	-185	RNP 1
TF	KEPUM	-	221 (225.0)	-	4.0	R	-	-185	RNP 1

MASEG 2R

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed Limit (kt)	Navigation Specification
IF	MASEG	-	-	-	-	-	-	-	RNP 1
TF	PY406	-	332 (335.4)	-	16.8	-	+4000	-	RNP 1
TF	INRIB	-	043 (046.8)	-	5.4	-	-5000 +3000	-185	RNP 1
TF	IVMAN	-	311 (315.1)	-	5.0	L	-	-185	RNP 1
TF	KEPUM	-	221 (225.0)	-	4.0	L	-	-185	RNP 1

HOLDING RNAV1

Path Terminator	Waypoint Identifier	Inbound Course °M (°T)	Leg Distance (NM) (1)	Timing(min.)/ Waypoint Distance (NM) (2)	Turn Direction	Minimum Altitude (FT)	Maximum Altitude (FL)	Speed Limit (kt)	Magnetic Variation (°)	Navigation Specification
HM	ARKEM	353° (356.7°)	3.3	- / 4.1	L	+3000	-	-185	3.6 E	RNAV1
HM	INRIB	026° (029.7°)	3.1	- / 4.0	L	+3000	-	-185	3.6 E	RNAV1
HM	KATFU	056° (059.7°)	3.3	- / 4.1	R	+3000	-	-185	3.6 E	RNAV1
HM	KEPUM	221° (224.7°)	3.0	- / 3.9	L	+2500	-4500	-185	3.6 E	RNAV1

(1) RNAV system with holding functionality

(2) RNAV system without holding functionality

WAYPOINT LIST

Waypoint Identifier	Coordinates
PY402	43°40'10.5" N 013°16'24.4" E
PY403	43°43'43.2" N 013°21'16.1" E
PY404	43°47'15.7" N 013°26'08.3" E
PY406	43°40'01.3" N 013°35'20.4" E