


STANDARD ARRIVAL CHART
INSTRUMENT (STAR) - ICAO

TRANSITION ALTITUDE
10 000

ZADAR RADAR 128.525
ZADAR TOWER 123.700
ZADAR DELIVERY 132.975

ZADAR / Zemunik (LDZD)
LOS 2X KUDUL 1X SPL 2X ELGUS 1X RNAV RWY 31

CHANGE: TMAs classification vertical limits; Parachuting zones added; PBN box updated; Notes; Editorial.



ZADAR / Zemunik (LDZD)

RNAV RWY 31 LOS 2X KUDUL 1X SPL 2X ELGUS 1X

LDZD RNAV STANDARD ARRIVAL RWY 31												
Proposed tabular description for navigation database coding												
Serial number	Route	Path descriptor	Waypoint name	Flyover	Course °M (°T)	Magnetic variation	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Remarks	NAV SPEC
010	LOS 2X	IF	LOS	-	-	4°E	-	-	-	-	-	RNAV 1
020		TF	MINTU	-	135° (139.4°T)	4°E	14.8	-	+6000	-	-	
030		TF	ANAKO	-	127° (131.0°T)	4°E	43.8	-	+5000	-	IAF on ATC authorization only	
040		TF	RODGO	-	042° (045.8°T)	4°E	7.0	-	+4000	-	IAF/IF	
010	KUDUL 1X	IF	KUDUL	-	-	4°E	-	-	+9000	-	-	RNAV 1
020		TF	ZD768	-	145° (148.7°T)	4°E	34.7	-	+8000	-	-	
030		TF	BEPTU	-	132° (135.8°T)	4°E	12.9	-	+6000	-	IAF on ATC authorization only	
040		TF	RODGO	-	222° (225.9°T)	4°E	7.0	-	+4000	-	IAF/IF	
010	SPL 2X	IF	SPL	-	-	4°E	-	-	-	-	-	RNAV 1
020		TF	ZD767	-	306° (310.2°T)	4°E	8.4	-	+4300	-	-	
030		TF	RODGO	-	306° (310.0°T)	4°E	33.0	-	+4000	-	IAF	
010	ELGUS 1X	IF	ELGUS	-	-	4°E	-	-	-	-	-	RNAV 1
020		TF	ANAKO	-	045° (048.8°T)	4°E	28.4	-	+5000	-	IAF on ATC authorization only	
030		TF	RODGO	-	042° (045.8°T)	4°E	7.0	-	+4000	-	IAF/IF	
IAF on ATC authorization only: For APPROACH TRANSITION from BEPTU and ANAKO see LDZD AD 2.24.12 IAC RNP RWY 31												

CHANGE: TMA's classification vertical limits; Parachuting zones added; PBN box updated; Notes; Editorial.

LOS 2X KUDUL 1X SPL 2X ELGUS 1X RNAV RWY 31

RNAV HOLDING tabular description										
Waypoint name	Path descriptor	Inbound course °M (°T)	Leg time/ distance (NM)	Turn direction	Minimum altitude (ft)	Maximum altitude (ft)	Speed limit MAX IAS (kt)	Magnetic variation	Remarks	NAV SPEC
MINTU	HM	135° (139.4°T)	1 MIN / -	R	6000	-	250	4°E	On ATC approval only	RNAV 1
KUDUL	HM	185° (189.4°T)	1 MIN / -	R	9000	-	250	4°E	On ATC approval only	RNAV 1
RODGO	HM	312° (315.9°T)	1 MIN / -	R	4000	-	210	4°E	-	RNAV 1

Waypoint coordinates		
Waypoint name	WGS-84 latitude	WGS-84 longitude
LOS	443137.55N	0142822.25E
SPL	432947.69N	0161817.00E
ANAKO	435129.8N	0152730.2E
BEPTU	440115.0N	0154124.7E
ELGUS	433252N	0145800E
MINTU	442023.9N	0144144.5E
KUDUL	444011N	0150355E
RODGO	435622.6N	0153426.9E
ZD767	433513.2N	0160925.7E
ZD768	441029.1N	0152858.8E

CHANGE: TMAs classification vertical limits; Parachuting zones added; PBN box updated; Notes; Editorial.

OVA STRANICA JE NAMJERNO OSTAVLJENA PRAZNA
THIS PAGE INTENTIONALLY LEFT BLANK