

EDLP AD 2.7 Runway surface condition assessment and reporting and snow plan

1	Type(s) of clearing equipment	3 snow ploughs 3 airblast sweepers 1 rotary snow loader 1 combined spreader for solid and liquid de-icing agents 2 beam sprayer for liquid de-icing agents 2 tractors with sweepers 1 tractor with snow plough
2	Clearance priorities	RWY and appropriate TWYs Apron Remaining parts of the movement area
3	Use of material for movement area surface treatment	NIL
4	Specially prepared winter runways	Not applicable
5	Remarks	Transmission of information by SNOWTAM and DAVID. Unit of the airport operator providing information on the progress of the snow removal and the conditions of the movement area: Operations control Tel.: +49 2355 - 77230

EDLP AD 2.8 Aprons, taxiways and check locations/positions data

1	Designation, surface and strength of aprons	MAIN APRON: ASPH; PCN 70/F/B/X/T
2	Designation, width, surface and strength of taxiways	TWY A, A1, B, C, D, G, H, L, M: 23 m; ASPH; PCN 70/F/B/X/T TWY F, Q: 7.5 m; ASPH; PCN 46/F/B/X/T
3	Altimeter checkpoint location and elevation	ACL ON APRON: 728 ft (221.9 m) MSL
4	VOR checkpoints	-
5	INS checkpoints	-
6	Remarks	NIL

EDLP AD 2.9 Surface movement guidance and control system and markings

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system at aircraft stands	VDGS on A/C Stands 4 - 7 in use.
2	RWY and TWY markings and LGT	White: THR marking, RWY designation, RWY centre line, touchdown zone, fixed distance markings, RWY side lines Yellow: TWY centre line, taxi holding position markings, taxiing guide lines (apron)
3	Stop bars	-
4	Remarks	TWY and direction signs available. TWYs F, Q: not lighted

EDLP AD 2.10 Aerodrome obstacles

Refer to AD 2 EDLP 2-11 AERODROME OBSTACLE CHART - ICAO TYPE A RWY 06/24