



**INSTRUMENT
APPROACH
CHART - ICAO**

**VLADIVOSTOK, RUSSIA
KNEVICH
RNP RWY 25L**

VLADIVOSTOK RADAR 123.400
VLADIVOSTOK START 119.500



DIST to RW25L	4.0	6.0	8.0	9.4
ALTITUDE/HEIGHT	780'/(225)	1120'/(330)	1470'/(435)	1700'/(505)



OCA(H)		A	B	C	D					
Straight-in Approach	LNAV	450' (410') (125)	450' (410') (125)	450' (410') (125)	450' (410') (125)					
	LNAV/VNAV	340' (290') (90)	350' (300') (95)	360' (320') (100)	380' (330') (105)					
Circling		520' (460') (145)	660' (600') (185)	1390' (1330') (410)	1510' (1460') (450)					
GROUND SPEED	km/h	150	180	210	240	270	300	330	360	390
	kt	81	97	113	130	146	162	178	194	211
RATE OF DESCENT	m/s	2.2	2.6	3.0	3.5	3.9	4.3	4.8	5.2	5.6
	ft/min	427	512	597	682	768	853	938	1024	1109

TRANSITION LEVEL:
 - FL090 when QNH is 1013 hPa (760mm mercury column) or above;
 - FL100 when QNH is 977 hPa (733mm mercury column) or above, but less than 1013 hPa (760mm mercury column);
 - FL110 when QNH is less than 977 hPa (733mm mercury column).