

**INITIAL CLIMB PROCEDURE RWY 02**

**WARNING:** “Close-in” obstacles penetrating OIS 2.5% exist, but they were not considered for the published procedure design gradient.

**REMARK:** Minimum climb gradient 7% (425 ft/NM) until leaving 4500 ft.

**SID DESCRIPTION RWY 02**

**ROBET 1X**

Path Terminator	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed Limit (kt)	Navigation Specification
CA	-	-	-	-	-	-	+988	-	RNP1
CF	CG821	Y	025 (027.8)	+3	4.5	-	+2500	-150	RNP1
DF	ROBET	-	-	-	-	-	+FL90	-	RNP1

**RUBRI 1X**

Path Terminator	Waypoint Identifier	Fly Over	Course °M(°T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (ft)	Speed Limit (kt)	Navigation Specification
CA	-	-	-	-	-	-	+988	-	RNP1
CF	CG821	Y	025 (027.8)	+3	4.5	-	+2500	-150	RNP1
DF	PAN	-	-	-	-	L	+4500	-	RNP1
TF	RUBRI	-	154 (157.7)	-	14.0	-	+FL90	-	RNP1

**WAYPOINT LIST**

Waypoint Identifier	Coordinates
CG821	36°53'00.5"N 012°00'46.1"E