

AD2 AERODROMES
DABS AD 2.1 Aerodrome location indicator and name
DABS – TEBESSA/Cheikh Larbi Tebessi

DABS AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	<i>ARP coordinates and site at AD</i>	35 25 57.49N 008 07 32.16E Intersection RWY 11/29 with TWY C.
2	<i>Direction and distance from (city)</i>	Located of 1,35 NM North from the city of Tebessa.
3	<i>Elevation/Reference Temperature</i>	810 M / 34°C
4	<i>Geoid undulation at AD ELEV PSN</i>	NIL
5	<i>MAG VAR / Annual change</i>	3° E / 0° 7' E 2023
6	<i>AD Administration, address, telephone, telefax, Telex, AFS</i>	TEBESSA AIRPORT Aéroport de TEBESSA/Cheikh Larbi Tébéssi BP 78-Tebessa Tel: +213 37550895 TWR: +213 37 550737 ABO/ARO: +213 37550738 TECH: +213 37 550756 MBO: +213 6 55514162 MBO: +213 6 56056384 Telefax: +213 37550748 Telex: NIL AFS: DABSVDYD
7	<i>Type of traffic (IFR/VFR)</i>	IFR/VFR
8	<i>Remarks</i>	NIL

DABS AD 2.3 OPERATIONAL HOURS

1	<i>AD administration</i>	0700/1500 (SUN /THU).
2	<i>Customs and immigration</i>	0600/1800
3	<i>Health and sanitation</i>	Presence during the flight hours.
4	<i>AIS briefing office</i>	0600/1800
5	<i>ATS reporting office (ARO)</i>	0600/1800
6	<i>MET briefing office</i>	0600/1800
7	<i>ATS</i>	0600/1800
8	<i>Fueling</i>	0600/1800
9	<i>Handling</i>	Presence during the flight hours.
10	<i>Security</i>	H24
11	<i>De-icing</i>	NIL
12	<i>Remarks</i>	NIL

DABS AD 2.4 HANDLING SERVICES AND FACILITIES

1	<i>Cargo handling facilities</i>	Available.
2	<i>Fuel and oil types</i>	JET A1.
3	<i>Fueling facilities and capacity</i>	200.000 liters.
4	<i>De-icing facilities</i>	NIL
5	<i>Hangar space for visiting aircraft</i>	NIL
6	<i>Repair facilities for visiting aircraft</i>	NIL
7	<i>Remarks</i>	NIL

DABS AD 2.5 PASSENGER FACILITIES

1	<i>Hotels</i>	In city.
2	<i>Restaurants</i>	In city.
3	<i>Transportation facilities</i>	Taxi.
4	<i>Medical facilities</i>	In terminal and in city.
5	<i>Bank and post office</i>	In city.
6	<i>Tourist office</i>	In city.
7	<i>Remarks</i>	NIL

DABS AD 2.6 RESCUE AND FIREFIGHTING SERVICES

1	<i>AD category for firefighting</i>	CAT 5.
2	<i>Rescue equipment</i>	Yes, CAT 5.
3	<i>Capability for removal of disabled aircraft</i>	NIL
4	<i>Remarks</i>	NIL

DABS AD 2.7 SEASONAL AVAILABILITY, CLEARING

1	<i>Type of clearing equipment</i>	NIL
2	<i>Clearance priority</i>	NIL
3	<i>Remarks</i>	NIL

DABS AD 2.8 APRONS, TWY AND CHECK LOCATIONS

1	<i>Apron surface and strength</i>	Surface: Bituminous concrete Strength: PCR 560 F/D/W/T		
2	<i>Taxiway width, surface and strength</i>	A	B, C and D	E
		15 M Asphalt PCR 560 F/D/W/T	25 M Bituminous concrete PCR 560 F/D/W/T	15 M Bituminous concrete PCR 560 F/D/W/T
3	<i>Altimeter checkpoint location and elevation</i>	Location: NIL Elevation: NIL		
4	<i>VOR checkpoints</i>	NIL		
5	<i>INS checkpoints</i>	NIL		
6	<i>Remarks</i>	NIL		

DABS AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guidelines and visual docking / parking guidance system of aircraft stands	ID signs: YES TWY guidelines: YES Parking guidance system : YES
2	RWY and TWY markings and LGT	RWY and TWY markings: RWY 11/29 –RWY 12/30: THR marking, NR RWY, RCL, TDZ, aiming points, holding points. TWY: CL TWY. RWY and TWY LGTs: RWY 11/29 –RWY 12/30: RTHL, RENL, REDL, RWY turn pad lights. TWY: TWY edge lights.
3	Stop bars	NIL
4	Remarks	NIL

DABS AD 2.10 AERODROME OBSTACLES

<i>Approach and take-off areas</i>					
<i>OBST ID / Designation</i>	<i>OBST type</i>	<i>OBST position</i>	<i>ELEV/HGT</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
a	b	c	d	e	f
DABSOB001	DVOR/DME antenna	352723.64N0080407.05E	HGT 8 M	Marked and LGTD	NIL

<i>Circling area and at aerodrome</i>					
<i>OBST ID / Designation</i>	<i>OBST type</i>	<i>OBST position</i>	<i>ELEV/HGT</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
a	b	c	d	e	f
DABSOB002	TWR	352536.18N0080711.59E	HGT 24 M	Marked and LGTD	NIL
DABSOB003	Weather antenna	NIL	NIL	NIL	NIL
DABSOB004	Pylons PRKG	NIL	HGT 22 M	NIL	NIL
DABSOB005	Pylons PRKG	NIL	HGT 22 M	NIL	NIL
DABSOB006	Pylons PRKG	NIL	HGT 22 M	NIL	NIL
DABSOB007	Pylons PRKG	NIL	HGT 22 M	NIL	NIL
DABSOB008	Pylons PRKG	NIL	HGT 22 M	NIL	NIL
DABSOB009	Pylons PRKG	NIL	HGT 22 M	NIL	NIL

DABS AD2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET office	METEO station of Tebessa.
2	Hours of service: MET office outside hours:	H 24.
3	Office responsible for TAF preparation and periods of validity	On request.
4	Trend Forecast and Interval of issuance	METAR, 30 Minutes.
5	Briefing/consultation provided	NIL
6	Flight documentation and Language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing Information on meteorological conditions	NIL
9	ATS units provided with meteorological information	TWR
10	Remarks	NIL

DABS AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCR) And surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and Highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
11	113°	3000 X 45	PCR 560 F/D/W/T Bituminous concrete	352618.49N0080630.90E	804/NIL
29	293°	3000 X 45		352540.44N0080820.38E	810/NIL
12	124°	2400 X 30	PCR 510 F/D/W/T Bituminous concrete	352608.44N0080635.42E	806/NIL
30	304°	2400 X 30		352524.88N0080754.30E	809/NIL

Slope of RWY-SWY	SWY Dimensions (M)	CWY Dimensions (M)	Strips Dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
NIL	100	NIL		NIL	NIL
NIL	100	NIL	3320 M X 280 M	NIL	NIL
+ 0.185 %	100	NIL		NIL	NIL
- 0.185 %	75	NIL	2695 M X 280 M	NIL	NIL

DABS AD 2.13 DECLARED DISTANCES

<i>RWY designator</i>	<i>TORA (m)</i>	<i>TODA (m)</i>	<i>ASDA (m)</i>	<i>LDA (m)</i>	<i>Remarks</i>
1	2	3	4	5	6
11	3000	3000	3100	3000	NIL
29	3000	3000	3100	3000	NIL
12	2400	2400	2500	2400	NIL
30	2400	2400	2475	2400	NIL

DABS AD 2.14 APPROACH AND RUNWAY LIGHTING

<i>RWY Designator</i>	<i>APCH LGT Type LEN INTST</i>	<i>THR LGT Color WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ, LGT LEN</i>	<i>RWY Center Line LGT Length, spacing, color, INTST</i>	<i>RWY edge LGT LEN, spacing, color, INTST</i>	<i>RWY end LGT color, WBAR</i>	<i>SWY LGT LEN (M), Color</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
11	Nil	Green	Nil	Nil	Nil	3000M, 60M, White, LIH	Red	Nil	Runway turn pad lights, blue, Not used
29	Nil	Green	Nil	Nil	Nil	3000M, 60M, White, LIH	Red	Nil	Runway turn pad lights, blue
12	Nil	Green	Nil	Nil	Nil	2400M, 60M, White, LIH	Red	Nil	Runway turn pad lights, blue
30	Nil	Green	Nil	Nil	Nil	2400M, 60M, White, LIH	Red	Nil	Runway turn pad lights, blue

DABS AD 2.15 OTHER LIGHTING AND SECONDARY POWER SUPPLY

1	<i>ABN/IBN location, characteristics and hours of operation</i>	NIL
2	<i>LDI location and lighting</i> <i>Anemometer location and lighting</i>	LDI-WDI lighted.
3	<i>TWY edge and center line lights</i>	TWY edge lights: bleu.
4	<i>Secondary power supply/switch-over time</i>	Two (02) power generators 300 KVA/08 seconds.
5	<i>Remarks</i>	NIL

DABS AD 2.16 HELICOPTER LANDING AERA

1	<i>Coordinates TLOF or THR of FATO Geoid undulation</i>	NIL
2	<i>TLOF and/or FATO elevation (M/FT)</i>	NIL
3	<i>TLOF and FATO area dimensions, surface, strength, marking</i>	NIL
4	<i>True bearings of FATO</i>	NIL
5	<i>Declared distance available</i>	NIL
6	<i>APP and FATO lighting</i>	NIL
7	<i>Remarks</i>	NIL

DABS AD 2.17 ATS AIRSPACE

1	<i>Designation and lateral limits</i>	CTR TEBESSA Circle of 10 NM radius centered on the DVOR/DME.
2	<i>Vertical limits</i>	900 M/GND
3	<i>Airspace classification</i>	D
4	<i>ATS unit call sign and language(s)</i>	TEBESSA TWR, Fr, En.
5	<i>Transition altitude</i>	2340 M
6	<i>Remarks</i>	NIL

DABS AD 2.18 ATS COMMUNICATION FACILITIES

<i>Service designation</i>	<i>Call sign</i>	<i>Channel</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
TWR	TEBESSA TOWER	118.1-119.7 (s)	0600/1800	NIL

DABS AD 2.19 RADIO NAVIGATION AND LANDING AIDS

<i>Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/MLS, give declination)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Position of transmitting antenna coordinates</i>	<i>Elevation of DME Transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
DVOR/DME (3°E 2023)	TBS	114.5 CH 92 X	H24	352723.64 N0080407.05E	NIL	QDR 302° / 2.37 NM of THR 12

DABS AD 2.20 LOCAL AERODROME REGULATIONS: NIL

DABS AD 2.21 NOISE ABATEMENT PROCEDURES: NIL

DABS AD 2.22 FLIGHT PROCEDURES: NIL

DABS AD 2.23 ADDITIONAL INFORMATION:

- Presence of birds in the aerodrome.
- Presence of straying dogs in the aerodrome.

DABS AD 2.24 CHARTS RELATED TO AN AERODROME:

AD Chart - ICAO	AD2 DABS-AD
AOC - ICAO RWY 12/30	AD2 DABS-AOC1
AOC - ICAO RWY 11/29	AD2 DABS-AOC2
IAC - ICAO DVOR/DME RWY11 AND RWY12	AD2 DABS-IAC1
IAC - ICAO DVOR RWY11 AND RWY12	AD2 DABS-IAC2
VAC - ICAO	AD2 DABS-VAC1