

AERODROME CHART ICAO

**FIRENZE / PERETOLA**

AD ELEV  
142  
APRON ELEV  
125  
TWR  
118.300  
122.100  
ATIS  
129.350

LIRQ

43°48'31" N

011°12'10" E


(\*) 114 m beyond RWY END 05 AVBL for TAKE-OFF RWY 23  
(\*\*) 45 m beyond RWY END 23 AVBL for TAKE-OFF RWY 05  
(\*\*\*) RWY pavement surface is Prouse Friction Course (PFC) equivalent. The equivalence condition is based on mean texture depth (MTD) greater than 1.14mm and friction coefficient (MU) greater than 0.47.  
(\*\*\*\*) RESA RWY 23 partially paved. Last 6 m variable width from 150 m to 90 m  
(\*\*\*\*\*) RESA RWY 05 partially paved. Last 23 m variable width from 150 m to 64 m

Bearing are magnetic  
Distances in metres  
Elevation in ft AMSL  
Coordinates WGS 84


RWY	QFU	THR	bearing strength
05	046°	N 43°48'21.49" E 011°11'55.65"	PCN 103/F/A/W/T
23	226°	N 43°48'40.31" E 011°12'24.73"	

TWY IDENT	WIDTH	bearing strength
F	22	PCN 48/F/A/W/T
G	15	PCN 57/F/B/W/T
H	18	PCN 58/F/A/W/T
L	17	PCN 120/F/A/W/T
M	21	PCN 116/F/A/W/T
K	18	PCN 78/F/A/W/T
P	17	PCN 78/F/A/W/T


APRON AREA



CHANGE: APRON LIMITS



VAR +2° E - 2010.0  
Annual rate of change 5'E



Data provided by TA S.p.A