


STANDARD DEPARTURE CHART
INSTRUMENT (SID) - ICAO

TRANSITION ALTITUDE 6500

Kraków APPROACH	121.075, 126.975, 135.405
Katowice GROUND	121.805
Katowice TOWER	129.255



1. All aircraft which cannot follow and utilize RNAV 1 procedures shall advise ATC before start up. Radar vectoring will be provided.
2. All aircraft unable to achieve SID profile restrictions shall advise ATC before start up.
3. MAX IAS during initial turn as indicated in route description.
4. Initial SID climb to 6000 unless otherwise cleared by ATC.


RADIO COMMUNICATION FAILURE PROCEDURE

1. Set transponder to 7600.
2. Continue on assigned and acknowledged SID. After 3 minutes climb to FPL flight level.
3. If being vectored, continue on assigned heading. After 3 minutes proceed direct to last SID WPT climbing to FPL flight level.

CAUTION:
ALL IAS VALUES ARE MAX.

* NOT FOR TUSIN 4M,
ADADO 1M, OMFOL 1M,
LUMVE 2M.

BEARINGS AND TRACKS ARE MAGNETIC.
TRACKS IN BRACKETS ARE TRUE.
ALTITUDES AND ELEVATIONS ARE IN FEET.
DISTANCES ARE IN NAUTICAL MILES.



SCALE 1 : 750 000



Correction: Call sign Katowice DELIVERY changed to Katowice GROUND.

**STANDARD DEPARTURE CHART
INSTRUMENT (SID) - ICAO****Katowice - Pyrzowice
RNAV RWY 26**

ADADO 1M BABKO 5M KURON 5M LUMVE 2M LUXAR 6M NAVUR 4M OMFOL 1M REGTO 4M TUSIN 4M

ADADO 1M

PDG 7% REQUIRED UP TO ZOSWA

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	KT601	264 (270.2)	4.66	-	-	RNAV 1
002	TF	YOKHI	263 (268.6)	14.14	-	-	RNAV 1
003	TF	ZOSWA	199 (205.4)	11.95	-	-	RNAV 1
004	TF	ADADO	253 (259.2)	26.93	-	-	RNAV 1

BABKO 5M

PDG 7% REQUIRED UP TO EZHOT

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	KT601	264 (270.2)	4.66	-	-230	RNAV 1
002	TF	KT814	174 (180.2)	11.00	-	-	RNAV 1
003	TF	EZHOT	110 (116.3)	15.01	+FL110	-	RNAV 1
004	TF	NIFCU	115 (120.7)	15.54	-	-	RNAV 1
005	TF	PACIW	162 (167.7)	11.00	-	-	RNAV 1
006	TF	BABKO	203 (209.0)	18.32	-	-	RNAV 1

KURON 5M

PDG 7% REQUIRED UP TO NIFOW

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	KT601	264 (270.2)	4.66	-	-230	RNAV 1
002	TF	KT603	354 (000.2)	11.00	-	-230	RNAV 1
003	TF	KT604	085 (090.9)	5.58	-	-	RNAV 1
004	TF	NIFOW	085 (090.6)	11.44	+FL120	-	RNAV 1
005	TF	ATSEW	086 (092.4)	9.98	-	-	RNAV 1
006	TF	EGLUC	087 (093.3)	9.93	+FL170	-	RNAV 1
007	TF	KURON	088 (093.5)	9.27	-	-	RNAV 1

LUMVE 2M

PDG 7% REQUIRED UP TO LUMVE

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	KT601	264 (270.2)	4.66	-	-	RNAV 1
002	TF	YOKHI	263 (268.6)	14.14	-	-	RNAV 1
003	TF	KUVJE	315 (320.9)	7.95	-	-	RNAV 1
004	TF	LUMVE	315 (320.8)	12.48	-	-	RNAV 1

LUXAR 6M

PDG 7% REQUIRED UP TO EZHOT

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	KT601	264 (270.2)	4.66	-	-230	RNAV 1
002	TF	KT814	174 (180.2)	11.00	-	-	RNAV 1
003	TF	EZHOT	110 (116.3)	15.01	+FL110	-	RNAV 1
004	TF	NIFCU	115 (120.7)	15.54	-	-	RNAV 1
005	TF	IFZER	105 (111.4)	20.14	+FL210	-	RNAV 1
006	TF	LUXAR	086 (091.7)	40.59	-	-	RNAV 1

NAVUR 4M

PDG 7% REQUIRED UP TO NIFOW

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	KT601	264 (270.2)	4.66	-	-230	RNAV 1
002	TF	KT603	354 (000.2)	11.00	-	-230	RNAV 1
003	TF	KT604	085 (090.9)	5.58	-	-	RNAV 1
004	TF	NIFOW	085 (090.6)	11.44	+FL120	-	RNAV 1
005	TF	TIGJA	051 (056.5)	24.35	-	-	RNAV 1
006	TF	NAVUR	354 (000.2)	7.56	-	-	RNAV 1

OMFOL 1M

PDG 7% REQUIRED UP TO OMFOL

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	KT601	264 (270.2)	4.66	-	-	RNAV 1
002	TF	YOKHI	263 (268.6)	14.14	-	-	RNAV 1
003	TF	OMFOL	261 (267.3)	28.78	-	-	RNAV 1

TUSIN 4M

PDG 7% REQUIRED UP TO ZOSWA

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	KT601	264 (270.2)	4.66	-	-	RNAV 1
002	TF	YOKHI	263 (268.6)	14.14	-	-	RNAV 1
003	TF	ZOSWA	199 (205.4)	11.95	-	-	RNAV 1
004	TF	WUDWE	163 (168.7)	9.83	+FL150	-	RNAV 1
005	TF	TUSIN	163 (168.8)	17.37	-	-	RNAV 1

REGTO 4M

PDG 7% REQUIRED UP TO EZHOT

SEQUENCE NUMBER	PATH TERMINATOR	WAYPOINT IDENTIFIER	COURSE/TRACK °M (°T)	DISTANCE (NM)	ALTITUDE	SPEED (kt)	NAV SPEC
001	CF	KT601	264 (270.2)	4.66	-	-230	RNAV 1
002	TF	KT814	174 (180.2)	11.00	-	-	RNAV 1
003	TF	EZHOT	110 (116.3)	15.01	+FL110	-	RNAV 1
004	TF	NIFCU	115 (120.7)	15.54	-	-	RNAV 1
005	TF	PACIW	162 (167.7)	11.00	-	-	RNAV 1
006	TF	DUZOW	121 (127.0)	17.34	+FL220	-	RNAV 1
007	TF	REGTO	122 (127.5)	29.91	-	-	RNAV 1

WAYPOINT IDENTIFIER	COORDINATES	
DER27	50 28 33.8 N	019 03 34.5 E
ADADO	50 12 34.1 N	017 44 52.6 E
ATSEW	50 38 59.5 N	019 38 46.1 E
BABKO	49 36 42.0 N	019 28 10.0 E
IFZER	49 56 45.0 N	020 07 42.4 E
DUZOW	49 42 17.9 N	020 03 18.5 E
KT601	50 28 34.4 N	018 56 17.2 E
KT603	50 39 33.7 N	018 56 20.5 E
KT604	50 39 28.6 N	019 05 06.8 E
KT814	50 17 35.1 N	018 56 14.0 E
KURON	50 37 54.0 N	020 08 53.0 E
EGLUC	50 38 26.6 N	019 54 20.9 E
LUMVE	50 44 07.0 N	018 13 56.0 E
LUXAR	49 55 48.0 N	021 10 31.0 E
NAVUR	51 00 47.0 N	019 54 40.0 E
NIFCU	50 03 25.7 N	019 38 16.0 E
NIFOW	50 39 23.1 N	019 23 05.5 E
OMFOL	50 27 04.0 N	017 49 10.0 E
KUVJE	50 34 26.4 N	018 26 18.0 E
PACIW	49 52 41.5 N	019 41 53.9 E
REGTO	49 24 13.0 N	020 39 53.0 E
TIGJA	50 53 14.1 N	019 54 37.6 E
TUSIN	49 50 51.0 N	018 34 22.2 E
EZHOT	50 11 19.3 N	019 17 28.9 E
WUDWE	50 07 52.4 N	018 29 07.4 E
YOKHI	50 28 16.4 N	018 34 09.5 E
ZOSWA	50 17 30.0 N	018 26 07.6 E