

EDDG AD 2.9 Surface movement guidance and control system and markings

1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system at aircraft stands	NIL
2	RWY and TWY markings and LGT	White: THR marking, RWY designation, RWY centre line, touch-down zone, fixed distance markings, RWY side lines Yellow: RWY guard lights Yellow: TWY centre line, taxi holding position markings, taxiguide lines (apron), TWY intersection markings Red: Apron safety lines
3	Stop bars	R LIH
4	Remarks	TWY and direction signs available. Clearance bars: Y LIH

EDDG AD 2.10 Aerodrome obstacles

Refer to AD 2 EDDG 2-11 AERODROME OBSTACLE CHART - ICAO TYPE A RWY 07/25

EDDG AD 2.11 Meteorological information provided

1	Associated MET Office	Meteorological Advisory Center (MAC) Essen
2	Hours of service MET Office outside hours	H24
3	Office responsible for TAF preparation Periods of validity	MAC Essen 24 HR
4	Trend forecast Interval of issuance	TREND 30 MIN
5	Briefing/consultation provided	see No. 10 by phone
6	Flight documentation Language(s) used	Charts, abbreviated plain language text ²⁾ English, German
7	Charts and other information available for briefing or consultation	SWC, W/T charts, SIGMET, METAR/TAF en-route ²⁾
8	Supplementary equipment available for providing information	NIL
9	ATS units provided with information	Münster TWR
10	Additional information (limitation of service, etc.)	Individual weather consultation: Tel.: 0900 50 77 22 3 ¹⁾ ¹⁾ Value-added service prices see GEN 3.5 ²⁾ Provided by: www.flugwetter.de

EDDG AD 2.12 Runway physical characteristics

Designations RWY NR	TRUE BRG	Dimensions of RWY (m)	Strength (PCN) and surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
07	71.05°	2170 x 45	68/F/B/X/T ASPH	N 52 07 53.466 E 007 40 12.183	THR 156.3 ft
25	251.05°	2170 x 45	68/F/B/X/T ASPH	N 52 08 14.161 E 007 41 50.123	THR 158.7 ft