

FRIEDRICHSHAFEN

INSTRUMENT APPROACH PROCEDURE

RNP RWY 24

TABULAR DESCRIPTION

Approach Segment	Path Terminator	Way-point Identifier	Coordinates	Fly Over	(True Track°) / Mag Track°	Distance (NM)	Turn Direction	Altitude (ft) / Flight Level	Speed Limit (kt IAS)	Vertical Path Angle (°) / TCH (ft)	NAV Specification	Remarks
Initial APCH from ARFAS	IF	ARFAS	N 47 50 55.84 E 009 14 11.99	N	-	-	-	A6000+	230-	-	RNP APCH	-
	TF	NY430	N 47 51 18.41 E 009 29 01.21	N	(T087.7) 084	10.0	-	A6000+	-	-	RNP APCH	-
	TF	NY410	N 47 51 38.95 E 009 43 45.44	N	(T087.9) 084	9.9	-	A5000+	210-	-	RNP APCH	-
	TF	NY400	N 47 46 52.56 E 009 47 47.66	N	(T150.3) 147	5.5	-	A4000+	210-	-	RNP APCH	-
Initial APCH from HOFAZ	IF	HOFAZ	N 47 38 47.41 E 009 43 12.08	N	-	-	-	A5000+	230-	-	RNP APCH	BY ATC ONLY
	TF	NY440	N 47 40 33.80 E 009 47 48.94	N	(T060.3) 057	3.6	-	-	-	-	RNP APCH	-
	TF	NY420	N 47 42 05.91 E 009 51 49.25	N	(T060.4) 057	3.1	-	A5000+	210-	-	RNP APCH	-
	TF	NY400	N 47 46 52.56 E 009 47 47.66	N	(T330.4) 327	5.5	-	A4000+	210-	-	RNP APCH	-
Initial APCH from UMTEX	IF	UMTEX	N 47 50 15.20 E 009 37 27.10	N	-	-	-	A5000+	210-	-	RNP APCH	BY ATC ONLY
	TF	NY410	N 47 51 38.95 E 009 43 45.44	N	(T071.8) 068	4.5	-	A5000+	-	-	RNP APCH	-
	TF	NY400	N 47 46 52.56 E 009 47 47.66	N	(T150.3) 147	5.5	-	A4000+	210-	-	RNP APCH	-
APCH	TF	ETREM	N 47 44 33.01 E 009 41 44.51	N	(T240.4) 237	4.7	-	A4000+	-	-	RNP APCH	FAF for coding
	TF	RW24	N 47 40 32.41 E 009 31 21.76	Y	(T240.3) 237	8.1	-	-	-	-3.0/50	RNP APCH	-
Missed APCH	CF	NY240	N 47 38 37.50 E 009 26 25.85	Y	(T240.2) 237	-	-	-	-	-	RNP APCH	-
	DF	MOKOP	N 47 43 45.85 E 009 23 20.82	N	-	-	R	A4000-	-	-	RNP APCH	-
	TF	NY243	N 47 47 28.86 E 009 30 15.22	N	(T051.4) 048	6.0	-	-	200-	-	RNP APCH	-
	TF	UMTEX	N 47 50 15.20 E 009 37 27.10	N	(T060.2) 057	5.6	-	@A5000	210-	-	RNP APCH	-

RNAV HOLDING IDENTIFICATION								
Path Terminator	Holding Fix	Coordinates	Inbound (True Track°) / Mag Track°	Max Speed (kt IAS)	Altitude (ft) / Flight Level	Time (MIN) / Distance outbound	Turn Direction	Remarks
HM	ARFAS	N 47 50 55.84 E 009 14 11.99	(T160.0) 156	230-	A6000+	1	L	-
HM	UMTEX	N 47 50 15.20 E 009 37 27.10	(T060.2) 057	200-	A5000+	1	L	-