



ATIS	ARRIVAL WEST	132.975	TOWER WEST	136.275
136.125	ARRIVAL EAST	126.575	TOWER EAST	118.625

ASTOV1R, ASTOV1W, BIBEX1W, NEMES1R, NEMES1W, NEVRA1W, OGSIL1W, PIKAD1R, PIKAD1W,
RILIN1R, RILIN1W, ROPOX1W, SOREV1W, VARIX1R, VARIX1W, VELOP1W, XORKI1W

TRANSITION ALTITUDE 9000 ft



LGP, LGD, LGR
WITHIN ATHINAI TMA

LGP1	5000 FT-GND
LGP6	2000 FT-GND/MSL
LGP7	1000 FT-GND
LGP9	2000 FT-GND
LGP12	5000 FT-GND
LGD67A	4000 FT-GND
LGD67B	2000 FT-GND
LGD75	3700 FT-GND
LGD84	3700 FT-GND/MSL
LGD85	1000 FT-MSL
LGD86	1000 FT-MSL
LGD100	FL140-MSL
LGR20A	2000 FT-GND/MSL
LGR20B	1000 FT-GND/MSL
LGR24	5000 FT-3500 FT
LGR30A	6000 FT-GND/MSL
LGR30B	3000 FT-GND/MSL
LGR53	4000 FT-GND/MSL
LGR54	1000 FT-GND/MSL
LGR65	1500 FT-GND
LGR56	8000 FT-GND
LGR58A	1000 FT-GND/MSL
LGR58B	2000 FT-GND/MSL
LGR59	1000 FT-GND/MSL
LGR62	1000 FT-GND

ATHINAI TMA
FL 460/1000 FT ABOVE SFC
Class of airspace:
C: FL 195 and above
D:1000FT ABOVE SFC-FL195

RNAV-1 OR RNP-1 OR A-RNP EQUIVALENT
DME/DME, DME/DME/IRU NOT AUTHORIZED.

Elevations, altitudes are in feet.
Bearing, tracks and radials are magnetic.
Tracks in brackets are true.
Distances are in NM.
VAR 5°E/2024 - Annual Change 6'01"E

ASTOV 1R											
Sequence Number	Waypoint Identifier	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course °M (°T)	Turn Direction	Altitude (FT/FL)	Speed Limit (kt)	Navigation Specification	RNP
010	ASTOV	N 37°25'15.0000" E 022°32'04.0000"	IF	-	-	-	-	+9000	-	RNAV 1	1.0
020	AV500	N 37°26'49.0707" E 022°50'32.4157"	TF	-	14.8	079 (083.8)	-	+9000	-	RNAV 1	1.0
030	DDM	N 37°28'39.6100" E 023°13'01.8100"	TF	-	18.0	079 (084.0)	-	+7000	-	RNAV 1	1.0
040	EGN	N 37°45'58.3000" E 023°25'34.8700"	TF	-	20.0	025 (029.9)	-	+7000	-	RNAV 1	1.0
ASTOV 1W											
Sequence Number	Waypoint Identifier	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course °M (°T)	Turn Direction	Altitude (FT/FL)	Speed Limit (kt)	Navigation Specification	RNP
010	ASTOV	N 37°25'15.0000" E 022°32'04.0000"	IF	-	-	-	-	+9000	-	RNAV 1	1.0
020	AV500	N 37°26'49.0707" E 022°50'32.4157"	TF	-	14.8	079 (083.8)	-	+9000	-	RNAV 1	1.0
030	DDM	N 37°28'39.6100" E 023°13'01.8100"	TF	-	18.0	079 (084.0)	-	+7000	-	RNAV 1	1.0
040	KEA	N 37°33'25.7900" E 024°17'55.3200"	TF	-	51.8	079 (084.4)	-	+7000	-	RNAV 1	1.0
BIBEX 1W											
Sequence Number	Waypoint Identifier	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course °M (°T)	Turn Direction	Altitude (FT/FL)	Speed Limit (kt)	Navigation Specification	RNP
010	BIBEX	N 37°12'29.0000" E 024°50'04.0000"	IF	-	-	-	-	+7000	-	RNAV 1	1.0
020	KEA	N 37°33'25.7900" E 024°17'55.3200"	TF	-	33.1	304 (309.4)	-	+7000	-	RNAV 1	1.0
NEMES 1R											
Sequence Number	Waypoint Identifier	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course °M (°T)	Turn Direction	Altitude (FT/FL)	Speed Limit (kt)	Navigation Specification	RNP
010	NEMES	N 37°42'23.0000" E 022°34'51.0000"	IF	-	-	-	-	+7000	-	RNAV 1	1.0
020	DDM	N 37°28'39.6100" E 023°13'01.8100"	TF	-	33.3	109 (114.1)	-	+7000	-	RNAV 1	1.0
030	EGN	N 37°45'58.3000" E 023°25'34.8700"	TF	-	20.0	025 (029.9)	-	+7000	-	RNAV 1	1.0
NEMES 1W											
Sequence Number	Waypoint Identifier	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course °M (°T)	Turn Direction	Altitude (FT/FL)	Speed Limit (kt)	Navigation Specification	RNP
010	NEMES	N 37°42'23.0000" E 022°34'51.0000"	IF	-	-	-	-	+7000	-	RNAV 1	1.0
020	DDM	N 37°28'39.6100" E 023°13'01.8100"	TF	-	33.3	109 (114.1)	-	+7000	-	RNAV 1	1.0
030	KEA	N 37°33'25.7900" E 024°17'55.3200"	TF	-	51.8	079 (084.4)	-	+7000	-	RNAV 1	1.0
NEVRA 1W											
Sequence Number	Waypoint Identifier	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course °M (°T)	Turn Direction	Altitude (FT/FL)	Speed Limit (kt)	Navigation Specification	RNP
010	NEVRA	N 38°10'06.0000" E 024°33'37.0000"	IF	-	-	-	-	+7000	-	RNAV 1	1.0
020	KRO	N 37°59'38.9000" E 024°29'41.6700"	TF	-	10.9	191 (196.5)	-	+7000	-	RNAV 1	1.0

OGSIL1W											
Sequence Number	Waypoint Identifier	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course °M (°T)	Turn Direction	Altitude (FT/FL)	Speed Limit (kt)	Navigation Specification	RNP
010	OGSIL	N 38°09'46.0000" E 024°45'05.0000"	IF	-	-	-	-	+7000	-	RNAV 1	1.0
020	KRO	N 37°59'38.9000" E 024°29'41.6700"	TF	-	15.8	225 (230.3)	-	+7000	-	RNAV 1	1.0
PIKAD1R											
Sequence Number	Waypoint Identifier	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course °M (°T)	Turn Direction	Altitude (FT/FL)	Speed Limit (kt)	Navigation Specification	RNP
010	PIKAD	N 38°03'41.0000" E 022°41'52.0000"	IF	-	-	-	-	+7000	-	RNAV 1	1.0
020	KOR	N 37°55'49.4800" E 022°56'09.2400"	TF	-	13.8	120 (124.7)	-	+7000	-	RNAV 1	1.0
030	DDM	N 37°28'39.6100" E 023°13'01.8100"	TF	-	30.3	148 (153.6)	-	+7000	-	RNAV 1	1.0
040	EGN	N 37°45'58.3000" E 023°25'34.8700"	TF	-	20.0	025 (029.9)	L	+7000	-	RNAV 1	1.0
PIKAD1W											
Sequence Number	Waypoint Identifier	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course °M (°T)	Turn Direction	Altitude (FT/FL)	Speed Limit (kt)	Navigation Specification	RNP
010	PIKAD	N 38°03'41.0000" E 022°41'52.0000"	IF	-	-	-	-	+7000	-	RNAV 1	1.0
020	KOR	N 37°55'49.4800" E 022°56'09.2400"	TF	-	13.8	120 (124.7)	-	+7000	-	RNAV 1	1.0
030	DDM	N 37°28'39.6100" E 023°13'01.8100"	TF	-	30.3	148 (153.6)	-	+7000	-	RNAV 1	1.0
040	KEA	N 37°33'25.7900" E 024°17'55.3200"	TF	-	51.8	079 (084.4)	-	+7000	-	RNAV 1	1.0
RILIN1R											
Sequence Number	Waypoint Identifier	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course °M (°T)	Turn Direction	Altitude (FT/FL)	Speed Limit (kt)	Navigation Specification	RNP
010	RILIN	N 37°57'54.0000" E 022°40'00.0000"	IF	-	-	-	-	+7000	-	RNAV 1	1.0
020	KOR	N 37°55'49.4800" E 022°56'09.2400"	TF	-	12.9	094 (099.1)	-	+7000	-	RNAV 1	1.0
030	DDM	N 37°28'39.6100" E 023°13'01.8100"	TF	-	30.3	148 (153.6)	-	+7000	-	RNAV 1	1.0
040	EGN	N 37°45'58.3000" E 023°25'34.8700"	TF	-	20.0	025 (029.9)	L	+7000	-	RNAV 1	1.0
RILIN1W											
Sequence Number	Waypoint Identifier	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course °M (°T)	Turn Direction	Altitude (FT/FL)	Speed Limit (kt)	Navigation Specification	RNP
010	RILIN	N 37°57'54.0000" E 022°40'00.0000"	IF	-	-	-	-	+7000	-	RNAV 1	1.0
020	KOR	N 37°55'49.4800" E 022°56'09.2400"	TF	-	12.9	094 (099.1)	-	+7000	-	RNAV 1	1.0
030	DDM	N 37°28'39.6100" E 023°13'01.8100"	TF	-	30.3	148 (153.6)	-	+7000	-	RNAV 1	1.0
040	KEA	N 37°33'25.7900" E 024°17'55.3200"	TF	-	51.8	079 (084.4)	-	+7000	-	RNAV 1	1.0
ROPOX1W											
Sequence Number	Waypoint Identifier	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course °M (°T)	Turn Direction	Altitude (FT/FL)	Speed Limit (kt)	Navigation Specification	RNP
010	ROPOX	N 38°10'12.0000" E 023°45'50.0000"	IF	-	-	-	-	+8000	-	RNAV 1	1.0
020	KEA	N 37°33'25.7900" E 024°17'55.3200"	TF	-	44.7	140 (145.2)	-	+8000	-	RNAV 1	1.0

SOREV 1W											
Sequence Number	Waypoint Identifier	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course °M (°T)	Turn Direction	Altitude (FT/FL)	Speed Limit (kt)	Navigation Specification	RNP
010	SOREV	N 37°05'49.0000" E 024°25'28.0000"	IF	-	-	-	-	+7000	-	RNAV 1	1.0
020	KEA	N 37°33'25.7900" E 024°17'55.3200"	TF	-	28.2	343 (347.7)	-	+7000	-	RNAV 1	1.0
VARIX 1R											
Sequence Number	Waypoint Identifier	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course °M (°T)	Turn Direction	Altitude (FT/FL)	Speed Limit (kt)	Navigation Specification	RNP
010	VARIX	N 37°21'50.0000" E 025°02'03.0000"	IF	-	-	-	-	+7000	-	RNAV 1	1.0
020	KEA	N 37°33'25.7900" E 024°17'55.3200"	TF	-	37.0	283 (288.5)	-	+7000	-	RNAV 1	1.0
VARIX 1W											
Sequence Number	Waypoint Identifier	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course °M (°T)	Turn Direction	Altitude (FT/FL)	Speed Limit (kt)	Navigation Specification	RNP
010	VARIX	N 37°21'50.0000" E 025°02'03.0000"	IF	-	-	-	-	+7000	-	RNAV 1	1.0
020	KRO	N 37°59'38.9000" E 024°29'41.6700"	TF	-	45.7	321 (325.9)	-	+7000	-	RNAV 1	1.0
VELOP 1W											
Sequence Number	Waypoint Identifier	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course °M (°T)	Turn Direction	Altitude (FT/FL)	Speed Limit (kt)	Navigation Specification	RNP
010	VELOP	N 37°08'57.0000" E 023°17'12.0000"	IF	-	-	-	-	+7000	-	RNAV 1	1.0
020	KEA	N 37°33'25.7900" E 024°17'55.3200"	TF	-	54.2	058 (062.9)	-	+7000	-	RNAV 1	1.0
XORKI 1W											
Sequence Number	Waypoint Identifier	Coordinates	Path Terminator	Fly Over	Distance (NM)	Course °M (°T)	Turn Direction	Altitude (FT/FL)	Speed Limit (kt)	Navigation Specification	RNP
010	XORKI	N 38°10'11.0000" E 023°30'33.0000"	IF	-	-	-	-	+8000	-	RNAV 1	1.0
020	KEA	N 37°33'25.7900" E 024°17'55.3200"	TF	-	52.5	129 (134.1)	-	+8000	-	RNAV 1	1.0

RNAV HOLDING IDENTIFICATION								
Path Terminator	Holding Fix	Coordinates	Inbound Mag. Track (True Track)	Max Speed (KT IAS)	Altitude (ft)/ Flight Level	Time (MIN) / Distance outbound	Turn Direction	Remarks
HM	DDM	N 37°28'39.6100" E 023°13'01.8100"	059° (064.2°T)	230-	+6000	1	L	-
HM	EGN	N 37°45'58.3000" E 023°25'34.8700"	108° (113.2°T)	230-	+4000	1	L	-
HM	KEA	N 37°33'25.7900" E 024°17'55.3200"	335° (340.2°)	230-	+5000	1	R	-
HM	KRO	N 37°59'38.9000" E 024°29'41.6700"	292° (297.2°T)	230-	+7000	1	R	-

IDENT	Coordinates
ASTOV	N 37°25'15.0000" E 022°32'04.0000"
AV500	N 37°26'49.0707" E 022°50'32.4157"
BIBEX	N 37°12'29.0000" E 024°50'04.0000"
DDM	N 37°28'39.6100" E 023°13'01.8100"
EGN	N 37°45'58.3000" E 023°25'34.8700"
KEA	N 37°33'25.7900" E 024°17'55.3200"
KOR	N 37°55'49.4800" E 022°56'09.2400"
KRO	N 37°59'38.9000" E 024°29'41.6700"
NEMES	N 37°42'23.0000" E 022°34'51.0000"
NEVRA	N 38°10'06.0000" E 024°33'37.0000"
OGSIL	N 38°09'46.0000" E 024°45'05.0000"
PIKAD	N 38°03'41.0000" E 022°41'52.0000"
RILIN	N 37°57'54.0000" E 022°40'00.0000"
ROPOX	N 38°10'12.0000" E 023°45'50.0000"
SOREV	N 37°05'49.0000" E 024°25'28.0000"
VARIX	N 37°21'50.0000" E 025°02'03.0000"
VELOP	N 37°08'57.0000" E 023°17'12.0000"
XORKI	N 38°10'11.0000" E 023°30'33.0000"