

INSTRUMENT APPROACH  
CHART-ICAO


AD ELEV 275  
HEIGHTS RELATED  
TO THR 27 ELEV 275

SBAS  
CH: 84565  
E27A

PULA ATIS 129.150  
PULA RADAR 127.675  
124.600  
PULA TOWER 132.000


PULA / PuLa (LDPL)

RNP RWY 27



**MISSED APPROACH**  
**RNAV**  
RW27 - PLA [L] - PL402 [L] - K185]  
- PL403 [L] - CRE [A4000]

**NON RNAV**  
Climb straight ahead to PULA NDB. At 5.0 DME PUL turn LEFT to intercept and follow QDR 174° PLA. On crossing R-224 PUL turn LEFT on track 108°. Intercept and follow bearing QDM 062° CRE to CRE NDB at 4000 and hold.  
MAX IAS 185kt until crossing PL402.



OCA(H)		A	B	C	D
Straight-in approach	LNAV	710 (435)			
	LNAV/VNAV	610 (335)	620 (345)	630 (355)	
	LPV	560 (285)	570 (295)	580 (305)	590 (315)
Circling		890 (620)	950 (680)	1110 (840)	1190 (920)

DIST THR / RW27	NM	7	6	5	4	3	2	1
Altitude	ft	2700	2360	2020	1680	1340	1000	660
Timing not authorized for defining the MAPt								
GS	kt	80	100	120	140	160	180	
SITPA - RW27 (7.2NM)	min:sec	5:24	4:19	3:36	3:05	2:42	2:24	
Rate of descent (5.6%)	ft/min	454	567	681	794	907	1021	

CHANGE: TMAs classification vertical limits; Note for RMZ RIJEKA; Parachute activity zone; Editorial.

PULA / Pula (LDPL)

RNP RWY 27

## Coding elements for FAS Data Block

## Input data

Operation Type	0
SBAS Provider	1 (EGNOS)
Airport Identifier	LDPL
Runway	27
Runway Letter	0 (None)
Approach Performance Designator	0
Route Indicator	
Reference Path Data Selector	0
Reference Path Identifier	E27A
LTP/FTP Latitude	445338.1600N
LTP/FTP Longitude	0135626.8550E
LTP/FTP Ellipsoidal Height (metres)	126.9
FPAP Latitude	445335.2700N
Delta FPAP Latitude (seconds)	-2.8900
FPAP Longitude	0135412.6710E
Delta FPAP Longitude (seconds)	-134.1840
Threshold Crossing Height	52.0
TCH Units Selector	0 (feet)
Glidepath Angle (degrees)	3.20
Course Width (metres)	105.00
Length Offset (metres)	0
HAL (metres)	40.0
VAL (metres)	50.0

## Output data

Data Block	10 0C 10 04 0C 1B 00 00 01 37 32 05 E0 31 44 13 CE 94 FB 05 F5 18 6C E9 FF B0 E7 FB 08 02 40 01 64 00 C8 FA 8B 02 04 89
Calculated CRC Value	8B020489

## Required Additional Data

ICAO Code	LD
LTP/FTP Orthometric Height (metres)	83.7

CHANGE: TMAs classification vertical limits; Note for RMZ RUEKA; Parachute activity zone; Editorial.

**LDPL RNP RWY27**

Proposed tabular description for navigation database coding - APPROACH TRANSITION

Serial Number	Fix	Path descriptor	Waypoint name	Flyover	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	VPA/TCH (°/ft)	Remarks	NAV SPEC
010	IAF	IF	NIGDO	-	-	4°E	-	-	+4300	-	-	IAF on ATC authorization only	RNP APCH
020	IF	TF	PL401	-	174° (178.4°T)	4°E	7.0	-	+3300	-	-	-	
010	IAF	IF	CRE	-	-	4°E	-	-	+4000	-	-	-	RNP APCH
020	IF	TF	PL401	-	265° (268.7°T)	4°E	6.3	-	+3300	-	-	-	
010	IAF	IF	LANIR	-	-	4°E	-	-	+4000	-	-	IAF on ATC authorization only	RNP APCH
020	IF	TF	PL401	-	354° (358.4°T)	4°E	7.0	-	+3300	-	-	-	

Proposed tabular description for navigation database coding - FINAL TRANSITION

Serial Number	Fix	Path descriptor	Waypoint name	Flyover	Course °M (°T)	Magnetic Variation	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	VPA/TCH (°/ft)	Remarks	NAV SPEC
010	IF	IF	PL401	-	-	4°E	-	-	+3300	-	-	-	RNP APCH
020	FAF	TF	SITPA	-	265° (268.5°T)	4°E	6.8	-	+2800	-	-	-	
030	MAPt	TF	RW27	Y	264° (268.4°T)	4°E	7.2	-	-	-	3.2 / 52.0	-	
040	-	TF	PLA	-	264° (268.0°T)	4°E	8.0	-	-	-	-	-	
050	-	TF	PL402	-	174° (177.8°T)	4°E	6.0	L	-	-185	-	-	
060	-	TF	PL403	-	108° (112.3°T)	4°E	7.2	-	-	-	-	-	
070	MAHF	TF	CRE	-	062° (065.7°T)	4°E	23.4	-	4000	-	-	-	
080	MAHF	HM	CRE	-	265° (268.9°T)	4°E	1MIN	L	4000	-250	-	Holding above 4000ft on ATC clearance only	RNAV 1

RNAV HOLDING tabular description

Waypoint name	Path Terminator	Inbound course °M (°T)	Leg time/distance NM	Turn direction	Minimum altitude (ft)	Maximum altitude (ft)	Speed limit MAX IAS (kt)	Magnetic variation	Remarks	NAV SPEC
CRE	HM	265° (268.9°T)	1MIN / -	L	4000	-	250	4°E	-	RNAV 1

Waypoint coordinates

Waypoint name	WGS-84 latitude	WGS-84 longitude
CRE	445410.37N	0142459.57E
PLA	445321.15N	0134512.66E
LANIR	444700.8N	0141626.9E
NIGDO	450102.6N	0141554.4E
SITPA	445350.7N	0140636.9E
RW27	445338.16N	0135626.85E
PL401	445401.7N	0141610.7E
PL402	444721.5N	0134531.7E
PL403	444436.5N	0135455.4E

CHANGE: TMAs classification vertical limits; Note for RMZ RLUJKA; Parachute activity zone; Editorial.

OVA STRANICA JE NAMJERNO OSTAVLJENA PRAZNA  
THIS PAGE INTENTIONALLY LEFT BLANK