




CORRIENTES (SARC)
CORRIENTES

SID RNP RWY 20
AKPEL 1M - BOBIK 1M - DOPLU 1M - GUKAS 1M - PANOT 1M

Requiere Certificación Certification required				AD ELEV 204'		12" W (2018) 	
RNP 1 / RNAV 1 GNSS				TRANS ALT 3000'			
CORRIENTES TWR 118.30 119.55		RESISTENCIA APP 118.70 118.10		RESISTENCIA CTL 119.40 120.40			EMERG 121.50
NOTA: NIL.				NOTE: NIL.			
MSA 25 NM ARP							



SID RWY 20:
AKPEL 1M - BOBIK 1M - DOPLU 1M - GUKAS 1M - PANOT 1M: Pendiente mínima de ascenso 3,4% (207 ft/NM) hasta RC060.

SID RWY 20:
AKPEL 1M - BOBIK 1M - DOPLU 1M - GUKAS 1M - PANOT 1M: Minimum climb gradient 3.4% (207 ft/NM) to RC060.

5 DICIEMBRE 2019

CORRIENTES (SARC) SID RNP RWY 20 AKPEL 1M – BOBIK 1M – DOPLU 1M – GUKAS 1M – PANOT 1M	
FIX IDENT	COORDINATES
RC060	27°29'52.99" S 058°45'54.80" W
RR408	27°37'48.70" S 058°46'14.93" W
RR410	27°35'33.62" S 058°37'36.31" W
BOBIK	27°12'44.00" S 058°27'22.00" W
RR400	27°37'03.83" S 059°07'40.78" W
RR403	27°27'26.69" S 059°30'03.23" W
PANOT	27°00'25.00" S 059°57'41.00" W
RR405	26°58'00.05" S 059°27'53.02" W
RR411	26°44'07.65" S 059°42'27.37" W
RR412	25°09'19.39" S 060°46'57.95" W
DOPLU	24°55'17.00" S 060°47'20.00" W
RR413	26°35'16.25" S 059°25'21.05" W
RR414	25°15'18.21" S 059°46'23.65" W
AKPEL	25°01'51.00" S 059°41'58.00" W
GUKAS	27°22'13.00" S 060°05'20.00" W

5 DICIEMBRE 2019

1/3 CORRIENTES (SARC) SID RNP RWY 20 AKPEL 1M – BOBIK 1M – DOPLU 1M – GUKAS 1M – PANOT 1M											
Seq Num	Fix Ident	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Altitude (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP	Dec (ARP 2018)
010	RC060	CF	Y	2.6	195 (182.3)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
020	RR408	TF	N	7.9	194 (182.2)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
030	RR410	TF	N	8.0	086 (073.7)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
040	BOBIK	TF	N	24.5	034 (021.8)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
010	RC060	CF	Y	2.6	195 (182.3)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
020	RR408	TF	N	7.9	194 (182.2)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
030	RR400	TF	N	19.1	284 (272.3)	N/A	-FL 070 +FL 050	N/A	RNAV 1 or RNP 1	1.0	12 W
040	RR403	TF	N	22.1	308 (295.8)	N/A	-FL 130	N/A	RNAV 1 or RNP 1	1.0	12 W
050	PANOT	TF	N	36.5	329 (317.7)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
010	RC060	CF	Y	2.6	195 (182.3)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W

5 DICIEMBRE 2019

2/3 CORRIENTES (SARC) SID RNP RWY 20 AKPEL 1M – BOBIK 1M – DOPLU 1M – GUKAS 1M – PANOT 1M											
Seq Num	Fix Ident	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Altitude (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP	Dec (ARP 2018)
020	RR408	TF	N	7.9	194 (182.2)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
030	RR400	TF	N	19.1	284 (272.3)	N/A	-FL 070 +FL 050	N/A	RNAV 1 or RNP 1	1.0	12 W
040	RR403	TF	N	22.1	308 (295.8)	N/A	-FL 130	N/A	RNAV 1 or RNP 1	1.0	12 W
050	RR405	TF	N	29.4	016 (003.8)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
060	RR411	TF	N	19.0	329 (316.8)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
070	RR412	TF	N	111.0	340 (328.6)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
080	DOPLU	TF	N	14.0	010 (358.6)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
010	RC060	CF	Y	2.6	195 (182.3)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
020	RR408	TF	N	7.9	194 (182.2)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
030	RR400	TF	N	19.1	284 (272.3)	N/A	-FL 070 +FL 050	N/A	RNAV 1 or RNP 1	1.0	12 W


5 DICIEMBRE 2019

3/3 CORRIENTES (SARC) SID RNP RWY 20 AKPEL 1M – BOBIK 1M – DOPLU 1M – GUKAS 1M – PANOT 1M											
Seq Num	Fix Ident	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Altitude (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP	Dec (ARP 2018)
040	RR403	TF	N	22.1	308 (295.8)	N/A	-FL 130	N/A	RNAV 1 or RNP 1	1.0	12 W
050	RR405	TF	N	29.4	016 (003.8)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
060	RR413	TF	N	22.8	018 (005.7)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
070	RR414	TF	N	82.0	359 (346.7)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
080	AKPEL	TF	N	14.0	029 (016.7)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
010	RC060	CF	Y	2.6	195 (182.3)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
020	RR408	TF	N	7.9	194 (182.2)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
030	RR400	TF	N	19.1	284 (272.3)	N/A	-FL 070 +FL 050	N/A	RNAV 1 or RNP 1	1.0	12 W
040	RR403	TF	N	22.1	308 (295.8)	N/A	-FL 130	N/A	RNAV 1 or RNP 1	1.0	12 W
050	GUKAS	TF	N	31.8	291 (279.6)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W


5 DICIEMBRE 2019

CORRIENTES (SARC)
CORRIENTES


SID RNP RWY 20
ESMOS 1M - KILIP 1M - LUTSO 1M - OPKAN 1M

Requiere Certificación Certification required			AD ELEV 204'		12° W (2018) 
RNP 1 / RNAV 1 GNSS			TRANS ALT 3000'		
CORRIENTES TWR 118.30 119.55		RESISTENCIA APP 118.70 118.10	RESISTENCIA CTL 119.40 120.40	EMERG 121.50	
NOTA: NIL.		NOTE: NIL.			
MSA 25 NM ARP					

12° W (2018)



MSA 25 NM ARP



SID RWY 20:
ESMOS 1M - KILIP 1M - LUTSO 1M - OPKAN 1M: Pendiente mínima de ascenso 3.4% (207 ft/NM) hasta RC060.

SID RWY 20:
ESMOS 1M - KILIP 1M - LUTSO 1M - OPKAN 1M: Minimum climb gradient 3.4% (207 ft/NM) to RC060.

10 OCTUBRE 2019

CORRIENTES (SARC) SID RNP RWY 20	
ESMOS 1M – KILIP 1M – LUTSO 1M – OPKAN 1M	
FIX IDENT	COORDINATES
RC060	27°29'52.99" S 058°45'54.80" W
RR408	27°37'48.70" S 058°46'14.93" W
RR163	28°20'14.08" S 058°47'59.98" W
RR164	29°22'40.36" S 058°43'02.58" W
KILIP	29°40'42.00" S 058°53'06.00" W
RR410	27°35'33.62" S 058°37'36.31" W
LUTSO	27°26'02.00" S 058°01'28.00" W
RR400	27°37'03.83" S 059°07'40.78" W
RR407	28°00'53.64" S 059°33'04.53" W
ESMOS	28°05'41.00" S 059°47'57.00" W
OPKAN	28°19'47.00" S 059°22'04.00" W

10 OCTUBRE 2019

1/2 CORRIENTES (SARC) SID RNP RWY 20											
ESMOS 1M – KILIP 1M – LUTSO 1M – OPKAN 1M											
Seq Num	Fix Ident	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Altitude (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP	Dec (ARP 2018)
010	RC060	CF	Y	2.6	195 (182.3)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
020	RR408	TF	N	7.9	194 (182.2)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
030	RR163	TF	N	42.3	194 (182.1)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
040	RR164	TF	N	62.4	187 (176.0)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
050	KILIP	TF	N	20.0	217 (206.0)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
010	RC060	CF	Y	2.6	195 (182.3)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
020	RR408	TF	N	7.9	194 (182.2)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
030	RR410	TF	N	8.0	086 (073.7)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
040	LUTSO	TF	N	33.5	086 (073.4)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
010	RC060	CF	Y	2.6	195 (182.3)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W

10 OCTUBRE 2019


2/2 CORRIENTES (SARC) SID RNP RWY 20											
ESMOS 1M – KILIP 1M – LUTSO 1M – OPKAN 1M											
Seq Num	Fix Ident	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Altitude (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP	Dec (ARP 2018)
020	RR408	TF	N	7.9	194 (182.2)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
030	RR400	TF	N	19.1	284 (272.3)	N/A	-FL 070 +FL050	N/A	RNAV 1 or RNP 1	1.0	12 W
040	RR407	TF	N	32.7	235 (223.6)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
050	ESMOS	TF	N	14.0	261 (250.1)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
010	RC060	CF	Y	2.6	195 (182.3)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
020	RR408	TF	N	7.9	194 (182.2)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
030	RR400	TF	N	19.1	284 (272.3)	N/A	-FL 070 +FL050	N/A	RNAV 1 or RNP 1	1.0	12 W
040	OPKAN	TF	N	44.5	208 (196.7)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W


10 OCTUBRE 2019

CORRIENTES (SARC)
CORRIENTES

AKPEL 1K - BOBIK 1K - DIGET 1K - DOPLU 1K - GUKAS 1K - PANOT 1K

SID RNP RWY 02

Requiere Certificación Certification required			AD ELEV 204'		12° W (2018)  MSA 25 NM ARP
RNP 1 / RNAV 1 GNSS			TRANS ALT 3000'		
CORRIENTES TWR 118.30 119.55	RESISTENCIA APP 118.70 118.10	RESISTENCIA CTL 119.40 120.40	EMERG 121.50		
NOTA: NIL.		NOTE: NIL.			



SID RWY 02:
BOBIK 1K: Pendiente mínima de ascenso 4.6% (275 ft/NM) hasta BOBIK.

SID RWY 02:
BOBIK 1K: Minimum climb gradient 4.6% (275 ft/NM) to BOBIK.

5 DICIEMBRE 2019

CORRIENTES (SARC) SID RNP RWY 02 AKPEL 1K – BOBIK 1K –DIGET 1K – DOPLU 1K – GUKAS 1K – PANOT 1K	
FIX IDENT	COORDINATES
RC989	27°23'31.60" S 058°45'12.68" W
RR168	27°17'04.18" S 058°44'12.76" W
RR150	27°15'46.93" S 058°58'34.48" W
RR151	26°52'48.14" S 059°13'01.53" W
RR155	26°31'59.38" S 059°10'10.19" W
RR156	25°12'03.45" S 059°31'22.39" W
AKPEL	25°01'51.00" S 059°41'58.00" W
DIGET	27°01'06.00" S 058°45'58.00" W
BOBIK	27°12'44.00" S 058°27'22.00" W
RR157	27°12'36.50" S 059°32'50.91" W
PANOT	27°00'25.00" S 059°57'41.00" W
RR160	27°18'31.44" S 059°52'47.24" W
GUKAS	27°22'13.00" S 060°05'20.00" W
RR152	26°40'21.15" S 059°25'32.30" W
RR153	26°36'42.77" S 059°29'11.05" W
RR154	25°02'00.19" S 060°33'48.24" W
DOPLU	24°55'17.00" S 060°47'20.00" W

5 DICIEMBRE 2019

1/4 CORRIENTES (SARC) SID RNP RWY 02 AKPEL 1K – BOBIK 1K –DIGET 1K – DOPLU 1K – GUKAS 1K – PANOT 1K											
Seq Num	Fix Ident	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Altitude (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP	Dec (ARP 2018)
010	RC989	CF	Y	2.6	020 (007.9)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
020	RR168	TF	N	6.5	020 (007.9)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
030	RR150	TF	N	12.9	288 (275.8)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
040	RR155	TF	N	44.9	359 (346.7)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
050	RR156	TF	N	82.0	359 (346.6)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
060	AKPEL	TF	N	14.0	329 (316.7)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
010	RC989	CF	Y	2.6	020 (007.9)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
020	RR168	TF	N	6.5	020 (007.9)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
030	DIGET	TF	N	16.0	007 (354.4)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W

5 DICIEMBRE 2019

2/4 CORRIENTES (SARC) SID RNP RWY 02 AKPEL 1K – BOBIK 1K –DIGET 1K – DOPLU 1K – GUKAS 1K – PANOT 1K											
Seq Num	Fix Ident	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Altitude (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP	Dec (ARP 2018)
010	RC989	CF	Y	2.6	020 (007.9)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
020	RR168	TF	N	6.5	020 (007.9)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
030	BOBIK	TF	N	15.6	087 (073.9)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
010	RC989	CF	Y	2.6	020 (007.9)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
020	RR168	TF	N	6.5	020 (007.9)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
030	RR150	TF	N	12.9	288 (275.8)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
040	RR157	TF	N	30.7	288 (276.1)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
050	PANOT	TF	N	25.3	310 (298.8)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
010	RC989	CF	Y	2.6	020 (007.9)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
020	RR168	TF	N	6.5	020 (007.9)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W

5 DICIEMBRE 2019

3/4 CORRIENTES (SARC) SID RNP RWY 02 AKPEL 1K – BOBIK 1K – DIGET 1K – DOPLU 1K – GUKAS 1K – PANOT 1K											
Seq Num	Fix Ident	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Altitude (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP	Dec (ARP 2018)
030	RR150	TF	N	12.9	288 (275.8)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
040	RR157	TF	N	30.7	288 (276.1)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
050	RR160	TF	N	18.7	263 (251.7)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
060	GUKAS	TF	N	11.8	263 (251.8)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
010	RC989	CF	Y	2.6	020 (007.9)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
020	RR168	TF	N	6.5	020 (007.9)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
030	RR150	TF	N	12.9	288 (275.8)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
040	RR151	TF	N	26.3	343 (330.7)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
050	RR152	TF	N	16.7	330 (318.0)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
060	RR153	TF	N	4.9	330 (318.0)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W


5 DICIEMBRE 2019



4/4 CORRIENTES (SARC) SID RNP RWY 02 AKPEL 1K – BOBIK 1K –DIGET 1K – DOPLU 1K – GUKAS 1K – PANOT 1K											
Seq Num	Fix Ident	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Altitude (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP	Dec (ARP 2018)
070	RR154	TF	N	111.0	340 (328.5)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
080	DOPLU	TF	N	14.0	310 (298.6)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W

5 DICIEMBRE 2019

CORRIENTES (SARC)
CORRIENTES

SID RNP RWY 02
ESMOS 1K - KILIP 1K - LUTSO 1K - OPKAN 1K

Requiere Certificación <i>Certification required</i>			AD ELEV 204'		12° W (2018)  MSA 25 NM ARP
RNP 1 / RNAV 1 GNSS			TRANS ALT 3000'		
CORRIENTES TWR 118.30 119.55	RESISTENCIA APP 118.70 118.10	RESISTENCIA CTL 119.40 120.40		EMERG 121.50	
NOTA: NIL.		NOTE: NIL.			



SID RWY 02:
ESMOS 1K- OPKAN 1K; Pendiente mínima de ascenso 4.2% (255 ft/NM) hasta SIS.

SID RWY 02:
SID ESMOS 1K- OPKAN 1K; Minimum climb gradient 4.2% (255 ft/NM) to SIS.

10 OCTUBRE 2019

CORRIENTES (SARC) SID RNP RWY 02	
ESMOS 1K – KILIP 1K – LUTSO 1K – OPKAN 1K	
FIX IDENT	COORDINATES
SIS	27°26'48.88" S 059°03'25.60" W
RC989	27°23'31.60" S 058°45'12.68" W
RR169	27°20'53.98" S 058°56'43.23" W
RR158	27°32'59.53" S 059°10'07.21" W
KORSI	27°36'57.81" S 059°14'25.99" W
RR159	27°47'55.00" S 059°27'29.90" W
OPKAN	28°19'47.00" S 059°22'04.00" W
ESMOS	28°05'41.00" S 059°47'57.00" W
RR161	27°31'59.78" S 058°36'58.00" W
RR162	27°50'03.14" S 058°38'45.55" W
RR163	28°20'14.08" S 058°47'59.98" W
RR164	29°22'40.36" S 058°43'02.58" W
KILIP	29°40'42.00" S 058°53'06.00" W
RR166	27°26'29.98" S 058°34'14.90" W
RR167	27°26'15.65" S 058°16'12.00" W
LUTSO	27°26'02.00" S 058°01'28.00" W

10 OCTUBRE 2019

1/3 CORRIENTES (SARC) SID RNP RWY 02											
ESMOS 1K – KILIP 1K – LUTSO 1K – OPKAN 1K											
Seq Num	Fix Ident	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Altitude (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP	Dec (ARP 2018)
010	RC989	CF	Y	2.6	020 (007.9)	N/A	N/A	-210	RNAV 1 or RNP 1	1.0	12 W
020	RR169	DF	N	N/A	N/A	L	N/A	-210	RNAV 1 or RNP 1	1.0	12 W
030	SIS	TF	N	8.4	237 (225.4)	N/A	+FL 060	N/A	RNAV 1 or RNP 1	1.0	12 W
040	RR158	TF	N	8.6	236 (224.0)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
050	KORSI	TF	N	5.5	236 (224.1)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
060	RR159	TF	N	15.9	238 (226.8)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
070	OPKAN	TF	N	32.1	183 (171.4)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
010	RC989	CF	Y	2.6	020 (007.9)	N/A	N/A	-210	RNAV 1 or RNP 1	1.0	12 W
020	RR169	DF	N	N/A	N/A	L	N/A	-210	RNAV 1 or RNP 1	1.0	12 W
030	SIS	TF	N	8.4	237 (225.4)	N/A	+FL 060	N/A	RNAV 1 or RNP 1	1.0	12 W

10 OCTUBRE 2019

2/3 CORRIENTES (SARC) SID RNP RWY 02											
ESMOS 1K – KILIP 1K – LUTSO 1K – OPKAN 1K											
Seq Num	Fix Ident	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Altitude (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP	Dec (ARP 2018)
040	RR158	TF	N	8.6	236 (224.0)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
050	KORSI	TF	N	5.5	236 (224.1)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
060	RR159	TF	N	15.9	238 (226.8)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
070	ESMOS	TF	N	25.3	237 (225.7)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
010	RC989	CF	Y	2.6	020 (007.9)	N/A	N/A	-210	RNAV 1 or RNP 1	1.0	12 W
020	RR161	DF	N	N/A	N/A	R	N/A	-210	RNAV 1 or RNP 1	1.0	12 W
030	RR162	TF	N	18.1	197 (185.1)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
040	RR163	TF	N	31.2	207 (195.2)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
050	RR164	TF	N	62.4	187 (176.0)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
060	KILIP	TF	N	20.0	217 (206.1)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W

10 OCTUBRE 2019

3/3 CORRIENTES (SARC) SID RNP RWY 02											
ESMOS 1K – KILIP 1K – LUTSO 1K – OPKAN 1K											
Seq Num	Fix Ident	Path Terminator	Fly Over	Distance (NM)	Course M°(T°)	Turn	Altitude (ft/FL)	Speed Limit (Kt)	Navigation Specification	RNP	Dec (ARP 2018)
010	RC989	CF	Y	2.6	020 (007.9)	N/A	N/A	-210	RNAV 1 or RNP 1	1.0	12 W
020	RR166	DF	N	N/A	N/A	R	N/A	-210	RNAV 1 or RNP 1	1.0	12 W
030	RR167	TF	N	16.1	102 (089.1)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W
040	LUTSO	TF	N	13.1	102 (089.0)	N/A	N/A	N/A	RNAV 1 or RNP 1	1.0	12 W

10 OCTUBRE 2019