

LOC/DME I-GGZ	APP CRS	Rwy Idg	8204
108.3	234°	TDZE	1226
Chan 20		Apt Elev	1226

ILS or LOC RWY 23



AKRON-CANTON RGNL (CAK)

**RVR 1800 authorized with use of FD or AP or HUD to DA.

MALSR

MISSED APPROACH: Climb to 2500 then climbing left turn to 3000 direct BSV VOR/DME and hold.

ATIS	CLEVELAND APP CON *	AKRON-CANTON TOWER	GND CON	CLNC DEL
121.05	125.5 269.25	134.75 279.575	121.7 348.6	132.05



ELEV 1226	TDZE 1226	BSV	EGGII INT I-GGZ 5.2	OCUGA INT I-GGZ 13
*LOC only				
Procedure Turn NA				
GS 3.00° TCH 45				
CATEGORY	A	B	C	D
S-ILS 23	**1426/24 200 (200-½)			
S-LOC 23	1700/24 474 (500-½)		1700/50 474 (500-1)	
CIRCLING	1760-1 534 (600-1)		1780-1½ 554 (600-1½) 1800-2 574 (600-2)	
IZERU FIX MINIMUMS				
S-LOC 23	1580/24 354 (400-½)			1580/40 354 (400-¾)
CIRCLING	1760-1 534 (600-1)		1780-1½ 554 (600-1½) 1800-2 574 (600-2)	