


AIRCRAFT PARKING DOCKING CHART ICAO – KILO APRON

| | | | | | |
|---|--|-------------------|------|-----------------|-------------|
| Bearings are magnetic Distances in metres Elevation in ft AMSL Coordinates WGS84 | TWR 118.500 | AD ELEV 989 | | TORINO/ CASELLE | |
| | GND 121.705 | APRON ELEV 949 | LIMF | 45°12'09"N | 007°38'58"E |
| | ATIS 120.480 | | | | |
| | KILO APRON Stands 601–604, 700–702, 800 | | | | |
| lighting | bearing strength | | | | |
| NIL | Surface: Concrete Strength: PCN 120/R/A/W/T | | | | |

| STAND | STANDARD ENGINE START POINT | Coordinates WGS84 | | ALTIMETER CHECK POINT [ft] |
|-------|-----------------------------|-------------------|---------------|----------------------------|
| | | N | E | |
| 601 | K1 | 45°12'18.30" | 007°38'45.39" | 976,0 |
| 602 | K1 | 45°12'18.09" | 007°38'43.07" | 977,6 |
| 603 | K1 | 45°12'14.47" | 007°38'45.35" | 975,8 |
| 604 | K1 | 45°12'14.68" | 007°38'43.27" | 977,3 |
| 700 | K1 | 45°12'17.09" | 007°38'45.34" | 976,0 |
| 701 | K1 | 45°12'17.64" | 007°38'44.20" | 976,8 |
| 702 | K1 | 45°12'15.29" | 007°38'44.05" | 976,7 |
| 800 | K1 | 45°12'16.40" | 007°38'43.64" | 977,1 |

REMARKS: SEE AD 2 LIMF 2-11

CHANGE: magnetic declination



Data provided by SAGAT SpA Torino