




BRIG. MY. CESAR R. OJEDA (SAOU)
SAN LUIS

Carta de aproximación por instrumentos
Instrument approach chart

VOR RWY 01

SAN LUIS CTL		SAN LUIS APP		SAN LUIS TWR		EMERG
118.40	119.85	118.40	119.85	118.40	119.85	121.50
VOR "UIS"	FINAL APCH CRS	SIN FAF	MDA (H)	AD Elev.	THR Elev.	3° W (2018)
116.0	007°	NO FAF	2850' (553')	2329'	2297'	
Aproximación frustrada: ASC a 6300 ft, interceptar RDL 358 y seguir instrucciones del ATC.						
Missed approach: Climb to 6300 ft, intercept RDL 358 or as directed by ATC.						



DIRECTA RWY 01 / <i>Straight in RWY 01</i>									CIRCULACIÓN VISUAL Circle to land					
CAT	VOR													
	MDA 2850'								MDH 553'					
	VIS								CAT	M D A	MDH	V I S		
	A	2700 M								A	2850'	522'	2700 M	
	B									B				2800 M
C	2800 M								C	2920'	592'	3700 M		
D	3200 M								D	3020'	692'	4600 M		
GS KT		90	110	130	150	160	170	180						
UIS - T		9 NM	6:00	4:55	4:09	3:36	3:23	3:11	3:00					

RNP RWY 01(LNAV/VNAV)

DIRECTA RWY 01 / Straight in RWY 01										Circulación visual N.A. Circle to land: N.A.				
CAT A B C D	LNAV/VNAV				LNAV					Requiere certificación RNP APCH (LNAV) APV/Baro VNAV (LNAV-VNAV) Certification Required RNP APCH (LNAV) APV/Baro VNAV (LNAV-VNAV)				
	DA 2670'		DH 373'		MDA 2790'		MDH 493'							
	VIS				VIS									
	1700 M				2500 M									
					2700 M									
GS KT	90	110	130	150	160	DIST. to MAP	4.8	4.0	3.0	2.0	1.4			
FAF - MAP 4.8 NM	3:12	2:37	2:13	1:55	1:48	ALT	3890	3620	3300	2980	2790			
FPM	480	590	700	800	860	HGT	(1593)	(1323)	(1003)	(683)	(493)			

DIRECCIÓN REGULACIÓN NORMAS Y PROCEDIMIENTOS-DNINA

BRIG. MY. CÉSAR R. OJEDA (SAOU) RNP RWY 01 LNAV - VNAV (ILSEN)

N° Serie	Identif. WPT	Path Term	Coordenada LAT	Coordenada LONG	FB/ FO	Dist. NM	Curso M°(T°)	Dirección Viraje	Altitud	Límite Vel. (Kt)	Var. Mag.	VPA	RNP	Especif. de Nav.
010	ILSEN (IAF (R))	IF	S 33°29'21.69"	W 066°17'26.80"	FB				+FL060	-220	3°W		1.0	RNP APCH/APV- BVNAV
020	MEXIL (IF)	TF	S 33°27'08.39"	W 066°22'50.83"	FB	5	299°/297.1°		+5300	-180	3°W		1.0	RNP APCH/APV- BVNAV
030	KOSDU (FAF)	TF	S 33°21'57.83"	W 066°22'08.67"	FB	5.2	009°/006.5°		3890		3°W		1.0	RNP APCH/APV- BVNAV
040	RW01 (MAPt)	TF	S 33°17'11.13"	W 066°21'29.82"	FO	4.8	009°/006.5°				3°W	3°/50'	0.3	RNP APCH/APV- BVNAV
050	OU469 (MATP)	TF	S 33°13'42.08"	W 066°21'01.54"	FB	3.5	009°/006.5°		+3200		3°W		1.0	RNP APCH/APV- BVNAV
060	GEMPI (MAHF)	TF	S 33°07'16.91"	W 066°23'18.02"	FO	6.7	346°/343.4°		+4300		3°W		1.0	RNP APCH/APV- BVNAV
070	GEMPI (MAHF)	HM				4	166°/163.4°	R	FL060	-210	3°W		1.0	RNP APCH/APV- BVNAV

BRIG. MY. CÉSAR R. OJEDA (SAOU) RNP RWY 01 LNAV - VNAV (ROGUB)

N° Serie	Identif. WPT	Path Term	Coordenada LAT	Coordenada LONG	FB/ FO	Dist. NM	Curso M°(T°)	Dirección Viraje	Altitud	Límite Vel. (Kt)	Var. Mag.	VPA	RNP	Especif. de Nav.
010	ROGUB (IAF (L))	IF	S 33°28'19.67"	W 066°28'36.81"	FB				+FL060	-220	3°W		1.0	RNP APCH/APV- BVNAV
020	MEXIL (IF)	TF	S 33°27'08.39"	W 066°22'50.83"	FB	5	079°/077.2°		+5300	-180	3°W		1.0	RNP APCH/APV- BVNAV
030	KOSDU (FAF)	TF	S 33°21'57.83"	W 066°22'08.67"	FB	5.2	009°/006.5°		3890		3°W		1.0	RNP APCH/APV- BVNAV
040	RW01 (MAPt)	TF	S 33°17'11.13"	W 066°21'29.82"	FO	4.8	009°/006.5°				3°W	3°/50'	0.3	RNP APCH/APV- BVNAV
050	OU469 (MATP)	TF	S 33°13'42.08"	W 066°21'01.54"	FB	3.5	009°/006.5°		3200		3°W		1.0	RNP APCH/APV- BVNAV
060	GEMPI (MAHF)	TF	S 33°07'16.91"	W 066°23'18.02"	FO	6.7	346°/343.4°		+4300		3°W		1.0	RNP APCH/APV- BVNAV
070	GEMPI (MAHF)	HM			...	4	166°/163.4°	R	FL060	-210	3°W		1.0	RNP APCH/APV- BVNAV

31 ENERO 2019