



LGP1	5000 FT-GND
LGP7	1000 FT-GND
LGP9	2000 FT-GND
LGP12	5000 FT-GND
LGD67A	4000 FT-GND
LGD67B	2000 FT-GND
LGD75	3700 FT-GND
LGD85	1000 FT-MSL
LGD86	1000 FT-MSL

DME REQUIRED

SPOT ELEVATIONS ARE IN FEET
LEVELS INDICATE ALTITUDE AND ARE IN FEET
BEARINGS, TRACKS AND RADIALS ARE MAGNETIC
DISTANCES ARE IN NM
VAR 5°E/2024 - Annual Change 6'01"E

MISSED APPROACH
Climb straight ahead to SPA.
At SPA turn left, intercept and follow R201 SPA. At 8 DME SPA outbound turn left, intercept and follow R296 KEA inbound to KEA and hold. Climb to 5000ft.

TRANSITION ALTITUDE
9000 FT

ELEV 303 FT (THR RWY 21 L)

THR RWY 21 L 0 (ZERO) DME I-EVL AT THR RWY 21L

Nautical Miles to/from THR

OCA / H		A	B	C	D	DL	
STRAIGHT-IN APPROACH	W.R.T. THR RWY 21L	CAT I	FT	503 / 200			
	W.R.T. THR RWY 21L (ELEVATION)	CAT II	FT	403 / 100			
	LOC ONLY	FT	1030 / 722				
CIRCLING (ALT/HEIGHT W.R.T. A/D ELEVATION)		1200/892	1300/992	N / A			

Rate of descent				
nm/h	100	135	160	185
ft/min	530	710	850	980

LLZ RECOMMENDED ALT			
DISTANCE I-EVL DME	4	3	2
ALTITUDE 5.2% APPROACH	1630	1320	1000