

FRANKFURT MAIN
GLS Y CAT I & II RWY 25L

INSTRUMENT APPROACH PROCEDURE
TABULAR DESCRIPTION

Procedure Remark: -													
Approach Segment	Path Terminator	Waypoint Identifier	Coordinates	Fly Over	(True Track°) Mag Track°	Distance (NM)	Turn Direction	Altitude (ft) / FL	Speed Limit / (kt IAS)	Vertical Path Angle (°) / TCH (ft)	NAV - Specification	Remarks	
Initial APCH from CHA	IF	CHA	N 49 55 15.97 E 009 02 23.34	N	-	-	-	A5000+	-	-	RNP APCH	-	
	TF	DF682	N 49 56 59.72 E 009 09 44.59	N	(T069.9) 067	5.1	-	A5000+	-	-	RNP APCH	-	
	TF	DF681	N 50 06 28.56 E 009 04 23.13	N	(T340.0) 337	10.1	-	A4000+	-	-	RNP APCH	-	
	TF	DF680	N 50 07 23.66 E 008 56 16.57	N	(T280.0) 277	5.3	-	A4000+	220-	-	RNP APCH	-	
Initial APCH from DF626	IF	DF626	N 50 14 04.23 E 009 25 02.97	N	-	-	-	A4000+	-	-	RNP 1	-	
	TF	DF625	N 50 12 43.20 E 009 19 10.62	N	(T250.3) 247	4.0	-	-	-	-	RNP 1	-	
	TF	DF624	N 50 11 21.87 E 009 13 18.60	N	(T250.2) 247	4.0	-	-	-	-	RNP 1	-	
	TF	DF623	N 50 10 00.24 E 009 07 26.93	N	(T250.2) 247	4.0	-	-	-	-	RNP APCH	-	
	TF	DF622	N 50 08 38.31 E 009 01 35.59	N	(T250.1) 247	4.0	-	-	-	-	RNP APCH	-	
	TF	DF680	N 50 07 23.66 E 008 56 16.57	N	(T250.0) 247	3.6	-	A4000+	220-	-	RNP APCH	-	
Initial APCH from MEFTO	IF	MEFTO	N 50 16 34.59 E 008 50 55.05	N	-	-	-	A5000+	-	-	RNP APCH	-	
	TF	DF684	N 50 18 10.49 E 008 57 45.88	N	(T069.9) 067	4.7	-	A5000+	-	-	RNP APCH	-	
	TF	DF683	N 50 11 27.13 E 009 01 34.22	N	(T160.0) 157	7.2	-	A4000+	-	-	RNP APCH	-	
	TF	DF680	N 50 07 23.66 E 008 56 16.57	N	(T220.0) 217	5.3	-	A4000+	220-	-	RNP APCH	-	
APCH	TF	DF630	N 50 06 03.21 E 008 50 34.69	N	(T249.9) 247	3.9	-	A4000+	-	-	RNP APCH	FAF for coding	
	TF	RW25L	N 50 02 24.19 E 008 35 11.51	Y	(T249.9) 246	10.6	-	-	-	-3.2/50	RNP APCH	-	
Missed APCH	DF	DF290	N 50 01 13.69 E 008 30 16.69	Y	-	-	-	-	-	-	RNP APCH	-	
	DF	DF685	N 49 58 07.58 E 008 21 57.70	N	-	-	-	-	-	-	RNP APCH	-	
	CA	-	-	-	(T240.0) 237	-	-	A5000+	220-	-	RNP APCH	-	
	DF	CHA	N 49 55 15.97 E 009 02 23.34	N	-	-	L	@A5000	250-	-	RNP 1	-	
RNAV HOLDING IDENTIFICATION													
Path Terminator	Holding Fix	Coordinates	(True Track°) Mag Track°	Time (MIN) / Distance outbound	Turn Direction	Altitude (ft) / FL	Speed Limit (kt IAS)	Remarks					
HM	CHA	N 49 55 15.97 E 009 02 23.34	(T286.5) 283	1	R	FL100-A5000+	230-	-					
HM	MEFTO	N 50 16 34.59 E 008 50 55.05	(T069.6) 066	1	L	A5000+	230-	-					