

SID RNAV1 RWY 09 description

REMARK

Departures shall start turn so as not trespass, Eastbound, 4.3NM ARP.

ROSKA 6E

REMARKS

- 1) Minimum climb gradient: 335 FT/NM (5.5%) until passing FL 90, except for ACFT with exit route planned via ROSKA-T128, which shall maintain a gradient of 310 FT/NM (5.1%) until passing FL 210.
- 2) During turns: IAS MAX 240 KT (bank angle 25°)
IAS MAX 185 KT (bank angle 15°)

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation (°)	Distance (NM)	Turn Direction	Altitude	Speed Limit (KT)	Navigation Performance
CA	-	-	087 (090.6)	-	-	-	+600 FT	(2)	RNAV1
CF	ELPEZ	Y	267 (270.8)	4.0 E	-	R	+5000 FT	(2)	RNAV1
DF	RCH	Y	-	-	-	R	+FL 90	(2)	RNAV1
TF	IPINO	-	224 (228.3)	-	-	R	-	-	RNAV1
TF	OSLOP	-	224 (228.3)	-	6.0	-	-	-	RNAV1
TF	ROSKA	-	210 (214.3)	-	23.7	-	+FL 110 (1)	-	RNAV1

LUPIN 1M

REMARKS

- 1) Minimum climb gradient: 370 FT/NM (6.1%) until passing FL 105
- 2) During turns: IAS MAX 240 KT (bank angle 25°)
IAS MAX 185 KT (bank angle 15°)

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation (°)	Distance (NM)	Turn Direction	Altitude	Speed Limit (KT)	Navigation Performance
CA	-	-	087 (090.6)	-	-	-	+600 FT	(2)	RNAV1
CF	ELPEZ	Y	267 (270.8)	4.0 E	-	R	+FL 75	(2)	RNAV1
TF	LUPIN	-	009 (011.4)	-	-	R	+FL 105	(2)	RNAV1

CHI 1G

REMARKS

- 1) Minimum climb gradient: 335 FT/NM (5.5%) until passing FL 90
- 2) During turns: IAS MAX 240 KT (bank angle 25°)
IAS MAX 185 KT (bank angle 15°)

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation (°)	Distance (NM)	Turn Direction	Altitude	Speed Limit (KT)	Navigation Performance
CA	-	-	087 (090.6)	-	-	-	+600 FT	(2)	RNAV1
CF	ELPEZ	Y	267 (270.8)	4.0 E	-	R	+5000 FT	(2)	RNAV1
DF	RCH	Y	-	-	-	R	+FL 90	(2)	RNAV1
TF	IPINO	-	224 (228.3)	-	-	R	-	-	RNAV1
TF	OSLOP	-	224 (228.3)	-	6.0	-	-	-	RNAV1
TF	CHI	-	224 (228.3)	-	51.0	-	-	-	RNAV1

RIFEN 1G**REMARKS**

- 1) Minimum climb gradient: 335 ft/NM (5.5%) until passing FL 75
- 2) During turns: IAS MAX 240 KT (bank angle 25°)
IAS MAX 185 KT (bank angle 15°)

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation (°)	Distance (NM)	Turn Direction	Altitude	Speed Limit (KT)	Navigation Performance
CA	-	-	087 (090.6)	-	-	-	+600 FT	(2)	RNAV1
CF	ELPEZ	Y	267 (270.8)	4.0 E	-	R	+5000 FT	(2)	RNAV1
DF	RCH	-	-	-	-	R	+FL 75	(2)	RNAV1
TF	RIFEN	-	070 (074.4)	-	5.0	-	+FL 85	(2)	RNAV1

RCH 1G**REMARKS**

- 1) Minimum climb gradient: 335 ft/NM (5.5%) until passing FL 75
- 2) During turns: IAS MAX 240 KT (bank angle 25°)
IAS MAX 185 KT (bank angle 15°)

Path Terminator	Waypoint Identifier	Fly Over	Course °M (°T)	Magnetic Variation (°)	Distance (NM)	Turn Direction	Altitude	Speed Limit (KT)	Navigation Performance
CA	-	-	087 (090.6)	-	-	-	+600 FT	(2)	RNAV1
CF	ELPEZ	Y	267 (270.8)	4.0 E	-	R	+5000 FT	(2)	RNAV1
DF	RCH	-	-	-	-	R	+FL 75	(2)	RNAV1