

AD2 AERODORMES**DAOB AD 2.1 Aerodrome location indicator and name**

DAOB – TIARET/Abdelhafid Boussouf Bou Chekif

DAOB AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	35°20'29"N 001°28'01"E Intersection RWY with TWY C.
2	Direction and distance from (city)	Located of 7.01 NM South-south from city of TIARET.
3	Elevation/Reference Temperature	989 M/34°C.
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR / Annual change	1°E/2017
6	AD Administration, address, telephone, telefax, Telex, AFS	TIARET AIRPORT Aéroport TIARET / Abdelhafid Boussouf Bou Chekif -BP 12/Tiaret Tel: +213 46240005 TWR: +213 46240002, STD: +213 46 24 00 03 Telefax: +213 46240005 Telex: NIL AFS: DAOBYDYD
7	Type of traffic (IFR/VFR)	IFR/VFR
8	Remarks	NIL

DAOB AD 2.3 OPERATIONAL HOURS

1	AD administration	0700/1500
2	Customs and immigration	Presence during the flight hours.
3	Health and sanitation	Presence during the flight hours.
4	AIS briefing office	0600/1800 (1)
5	ATS reporting office (ARO)	0600/1800 (1)
6	MET briefing office	0700/1500
7	ATS	0600/1800 (1)
8	Fueling	0700/1500
9	Handling	0700/1500
10	Safety	H 24
11	De-icing	NIL
12	Remarks	Outside these hours, a notice will be sent to DAOBYDYD before 13:00 hours.

DAOB AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo handling facilities	NIL
2	Fuel and oil types	JET A1.
3	Fueling facilities and capacity	JET A1, 60 to 63 m ³ /h.
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

DAOB AD 2.5 PASSENGER FACILITIES

1	<i>Hotels</i>	In city.
2	<i>Restaurants</i>	In city.
3	<i>Transportation facilities</i>	Taxi-Bus.
4	<i>Medical facilities</i>	In city.
5	<i>Bank and post office</i>	In city.
6	<i>Tourist office</i>	In city.
7	<i>Remarks</i>	NIL

DAOB AD 2.6 RESCUE AND FIREFIGHTING SERVICES

1	<i>AD category for firefighting</i>	CAT 4.
2	<i>Rescue equipment</i>	Yes, CAT 4.
3	<i>Capability for removal of disabled aircraft</i>	NIL
4	<i>Remarks</i>	NIL

DAOB AD 2.7 SEASONAL AVAILABILITY, CLEARING

1	<i>Type of clearing equipment</i>	Not applicable.
2	<i>Clearance priorities</i>	NIL
3	<i>Remarks</i>	NIL

DAOB AD 2.8 APRONS, TWY AND CHECK LOCATIONS

1	<i>Apron surface and strength</i>	Surface: Bituminous concrete Strength: PCR 490 F/C/W/T
2	<i>Taxiway width, surface and strength</i>	TWY: A, B, C, D, E, F Width: 25 M Surface: Bituminous concrete Strength: PCR 490 F/C/W/T
3	<i>Altimeter checkpoint location and elevation</i>	Position : NIL Elevation : NIL Altitude : NIL
4	<i>VOR checkpoints</i>	NIL
5	<i>INS checkpoints</i>	NIL
6	<i>Remarks</i>	NIL

DAOB AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guidelines and visual docking / parking guidance system of aircraft stands	ID signs: NIL TWY guidelines: NIL Parking guidance system : NIL
2	RWY and TWY markings and LGT	RWY edge lights, RWY end lights, RWY THR lights, RWY turn pad lights. RWY center line marking, RWY designation marking, THR marking, TDZ marking with distance code, RWY edge marking TWY TWY edge lights, SWY lights TWY center line marking.
3	Stop bars	Available.
4	Remarks	NIL

DAOB AD 2.10 AERODROME OBSTACLES

<i>Approach and take-off areas</i>					
<i>OBST ID / Designation</i>	<i>OBST type</i>	<i>OBST position</i>	<i>ELEV/HGT</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
a	b	c	d	e	f
DAOBOB001	Pylon	352116N 0013033E	1026/45 M	Marked	
DAOBOB002	VOR/DME Antenna	352051.92N 0013053.70E	HGT 13 M	Marked	

<i>Circling area and at aerodrome</i>					
<i>OBST ID / Designation</i>	<i>Obstacle type</i>	<i>OBST position</i>	<i>Elevation/Height</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
a	b	c	d	e	f
DAOBOB003	TWR	NIL	1011/24 M	Marked and LGTD	NIL
DAOBOB004	Electric line	NIL		NIL	NIL

DAOB AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	METEO station of TIARET.
2	Hours of service: MET Office outside hours:	H 24
3	Office responsible for TAF preparation and Periods of validity	METEO station of TIARET.
4	Trend Forecast and Interval of issuance:	METAR – SYNOP 00hours - 50 minutes.
5	Briefing/consultation provided	NIL
6	Flight documentation and Language(s) used	NIL
7	Charts and other information available for briefing or consultation	NIL
8	Supplementary equipment available for providing Information on meteorological conditions	METEO Radar.
9	ATS units provided with meteorological information	TWR
10	Remarks	NIL

DAOB AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG/MAG BRG	Dimensions of RWY (M)	Strength (PCR) And surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and Highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
08	081°/080°	3000 x 45	PCR 490 F/C/W/T	352019.86N 0012648.28E	989 M/NIL
26	261°/260°	3000 x 45	Bituminous concrete	352035.21N 0012845.59E	977 M/NIL
Slope of RWY-SWY	SWY Dimensions (M)	CWY Dimensions (M)	Strips Dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
- 0.44%	120	NIL	3360 x 300	NIL	NIL
+ 0,44%	120	NIL	3360 x 300	NIL	NIL

DAOB AD 2.13 DECLARED DISTANCES

<i>RWY designator</i>	<i>TORA (m)</i>	<i>TODA (m)</i>	<i>ASDA (m)</i>	<i>LDA (m)</i>	<i>Remarks</i>
1	2	3	4	5	6
08	3000	3000	3120	3000	NIL
26	3000	3000	3120	3000	NIL

DAOB AD 2.14 APPROACH AND RUNWAY LIGHTING

<i>RWY Designator</i>	<i>APCH LGT Type LEN INTST</i>	<i>THR LGT Color WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ, LGT LEN</i>	<i>RWY Center Line LGT Length, spacing, color, INTST</i>	<i>RWY edge LGT LEN, spacing, color, INTST</i>	<i>RWY end LGT color, WBAR</i>	<i>SWY LGT LEN (M), Color</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
08	Nil	Green	PAPI 3,08°	Nil	Nil	3000M, 30M, White, LIH	Red	120M, Red	Nil
26	Nil	Green	Nil	Nil	Nil	3000M, 30M, White, LIH	Red	120M, Red	Nil

DAOB AD 2.15 OTHER LIGHTING AND SECONDARY POWER SUPPLY

1	<i>ABN/IBN location, characteristics, and hours of operation</i>	NIL
2	<i>LDI location and lighting</i> <i>Anemometer location and lighting</i>	Signal area. LDI-WDI lighted.
3	<i>TWY edge and centre line lights</i>	TWY edge lights: blue.
4	<i>Secondary power supply/switch-over time</i>	Two (02) power generators 300 KVA / 10 seconds.
5	<i>Remarks</i>	NIL

DAOB AD 2.16 HELICOPTER LANDING AERA

1	<i>Coordinates TLOF or THR of FATO Geoid undulation</i>	NIL
2	<i>TLOF and/or FATO elevation (M/FT)</i>	NIL
3	<i>TLOF and FATO area dimensions, surface, strength, marking</i>	NIL
4	<i>True bearings of FATO</i>	NIL
5	<i>Declared distance available</i>	NIL
6	<i>APP and FATO lighting</i>	NIL
7	<i>Remarks</i>	NIL

DAOB AD 2.17 ATS AIRSPACE

1	Designation and lateral limits	CTR TIARET Circle of 07 NM radius centered on the ARP
2	Vertical limits	900 M/ GND
3	Airspace classification	D
4	ATS unit call sign and language(s)	TIARET Tour/ Fr. En
5	Transition altitude	1890 M
6	Remarks	NIL

DAOB AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Channel	Hours of operation	Remarks
1	2	3	4	5
TWR	TIARET TOWER	119.5 - 119.7 Mhz (a)	0600/1800	TWR

DAOB AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/MLS, give declination)	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME Transmitting antenna	Remarks
1	2	3	4	5	6	7
VOR (1°E 2017)	TRB	116.3 Mhz	H24	352051.92N 0013053.70E	NIL	QDR 082°/3278M from THR26.
DME	TRB	CANAL 110X	H24	352051.92N 0013053.70E	NIL	200 NM

DAOB AD 2.20 LOCAL AERODROME REGULATIONS

NIL

DAOB AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

DAOB AD 2.22 FLIGHT PROCEDURES

- Mandatory of VFR routing and reporting points within the CTR.

DAOB AD 2.23 ADDITIONAL INFORMATION:

- Presence of birds and animals in the aerodrome.

DAOB AD 2.24 CHARTS RELATED TO AN AERODROME:

AD Chart - ICAO	AD 2 DAOB-AD
IAC - ICAO VOR/DME RWY 26 CAT C/D	AD 2 DAOB-IAC1
IAC - ICAO VOR/DME RWY 26 CAT A/B	AD 2 DAOB-IAC2
IAC - ICAO VOR RWY 26 CAT C/D	AD 2 DAOB-IAC3
IAC - ICAO VOR RWY 26 CAT A/B	AD 2 DAOB-IAC4
VAC - ICAO	AD2 DAOB- VAC1