

NUERNBERG
RNAV (GPS, DME/DME, DME/DME/IRU) RWY 10

STANDARD INSTRUMENT ARRIVAL ROUTES
(STAR)

Designator		DODAS 1T											
Procedure Remark		DODAS ONE TANGO CLEARANCE LIMIT DODAS.											
Route Type	Path Terminator	Waypoint Identifier	Coordinates	Fly-over	(True Track) MAG Track (°)	Distance (NM)	Turn Direction	Altitude (ft) Flight Level	Speed Limit (kt IAS)	Vertical Path Angle (°)	NAV Specification	Remark	
Runway	IF	DODAS	N 49 48 35.41 E 010 42 16.28	N	-	-	-	A5000+	-	-	RNAV 1	-	
Runway	TF	DN411	N 49 43 54.33 E 010 45 22.85	N	(T156.7) 153	5.1	-	-	-	-	RNAV 1	-	
Runway	TF	DN412	N 49 42 21.95 E 011 01 23.04	N	(T098.3) 095	10.5	-	-	-	-	RNAV 1	-	
Runway	TF	DN413	N 49 41 16.46 E 011 12 29.18	N	(T098.5) 095	7.3	-	-	-	-	RNAV 1	-	
Runway	TF	DN425	N 49 35 21.00 E 011 11 05.60	N	(T188.7) 185	6.0	-	-	-	-	RNAV 1	-	
Runway	TF	DN424	N 49 36 26.35 E 011 00 00.82	N	(T278.7) 275	7.3	-	-	-	-	RNAV 1	-	
Runway	TF	DN423	N 49 37 23.68 E 010 50 07.72	N	(T278.5) 275	6.5	-	-	-	-	RNAV 1	-	
Runway	TF	DN422	N 49 37 58.53 E 010 44 02.60	N	(T278.4) 275	4.0	-	-	-	-	RNAV 1	-	
Runway	TF	DN421	N 49 38 33.04 E 010 37 57.33	N	(T278.3) 275	4.0	-	-	-	-	RNAV 1	-	
Runway	TF	DN420	N 49 39 07.23 E 010 31 51.81	N	(T278.2) 275	4.0	-	-	-	-	RNAV 1	-	
Runway	TF	DN430	N 49 33 11.29 E 010 30 33.38	N	(T188.2) 185	6.0	-	A5000+	-	-	RNAV 1	-	

Designator		LETKU 1T											
Procedure Remark		LETKU ONE TANGO 1. CLEARANCE LIMIT LETKU. 2. DURING ACTIVITY OF NLFS MINIMUM HOLDING ALTITUDE AT LETKU 6300.											
Route Type	Path Terminator	Waypoint Identifier	Coordinates	Fly-over	(True Track) MAG Track (°)	Distance (NM)	Turn Direction	Altitude (ft) Flight Level	Speed Limit (kt IAS)	Vertical Path Angle (°)	NAV Specification	Remark	
Runway	IF	LETKU	N 49 20 51.31 E 010 33 12.83	N	-	-	-	A5000+	-	-	RNAV 1	-	
Runway	TF	DN461	N 49 20 11.14 E 010 40 03.83	N	(T098.5) 095	4.5	-	-	-	-	RNAV 1	-	
Runway	TF	DN462	N 49 18 39.55 E 010 55 56.21	N	(T098.3) 095	10.5	-	-	-	-	RNAV 1	-	
Runway	TF	DN463	N 49 17 34.62 E 011 06 56.94	N	(T098.5) 095	7.3	-	-	-	-	RNAV 1	-	
Runway	TF	DN455	N 49 23 30.08 E 011 08 19.48	N	(T008.6) 005	6.0	-	-	-	-	RNAV 1	-	
Runway	TF	DN454	N 49 24 35.15 E 010 57 17.41	N	(T278.6) 275	7.3	-	-	-	-	RNAV 1	-	
Runway	TF	DN453	N 49 25 32.24 E 010 47 26.72	N	(T278.5) 275	6.5	-	-	-	-	RNAV 1	-	
Runway	TF	DN452	N 49 26 06.93 E 010 41 23.09	N	(T278.4) 275	4.0	-	-	-	-	RNAV 1	-	
Runway	TF	DN451	N 49 26 41.30 E 010 35 19.31	N	(T278.3) 275	4.0	-	-	-	-	RNAV 1	-	
Runway	TF	DN450	N 49 27 15.34 E 010 29 15.28	N	(T278.2) 275	4.0	-	-	-	-	RNAV 1	-	
Runway	TF	DN430	N 49 33 11.29 E 010 30 33.38	N	(T008.1) 005	6.0	-	A5000+	-	-	RNAV 1	-	

Designator		PIVIR 1T											
Procedure Remark		PIVIR ONE TANGO 1. CLEARANCE LIMIT PIVIR. 2. DURING ACTIVITY OF NLFS CROSS DN425 AT OR ABOVE 6300.											
Route Type	Path Terminator	Waypoint Identifier	Coordinates	Fly-over	(True Track) MAG Track (°)	Distance (NM)	Turn Direction	Altitude (ft) Flight Level	Speed Limit (kt IAS)	Vertical Path Angle (°)	NAV Specification	Remark	
Runway	IF	PIVIR	N 49 40 01.49 E 011 24 57.83	N	-	-	-	A5000+	-	-	RNAV 1	-	
Runway	TF	DN426	N 49 34 21.81 E 011 20 57.84	N	(T204.7) 201	6.2	-	-	-	-	RNAV 1	-	
Runway	TF	DN425	N 49 35 21.00 E 011 11 05.60	N	(T278.8) 275	6.5	-	-	-	-	RNAV 1	-	
Runway	TF	DN424	N 49 36 26.35 E 011 00 00.82	N	(T278.7) 275	7.3	-	-	-	-	RNAV 1	-	
Runway	TF	DN423	N 49 37 23.68 E 010 50 07.72	N	(T278.5) 275	6.5	-	-	-	-	RNAV 1	-	
Runway	TF	DN422	N 49 37 58.53 E 010 44 02.60	N	(T278.4) 275	4.0	-	-	-	-	RNAV 1	-	
Runway	TF	DN421	N 49 38 33.04 E 010 37 57.33	N	(T278.3) 275	4.0	-	-	-	-	RNAV 1	-	
Runway	TF	DN420	N 49 39 07.23 E 010 31 51.81	N	(T278.2) 275	4.0	-	-	-	-	RNAV 1	-	
Runway	TF	DN430	N 49 33 11.29 E 010 30 33.38	N	(T188.2) 185	6.0	-	A5000+	-	-	RNAV 1	-	